



VARIO *star*

Specifications - Features - Technic - Prices

the 2009 Star





IVECO

Handy and easy to use

Here you find a chassis overview and first sights of the most important base data of the

- **VARIO Star 650 - 750**
on MB Sprinter 518 CDI
- **VARIO Star 750 - 800**
on IVECO Daily 65 C 18
- **VARIO Star 750 - 850**
on MB Atego 822 / 824
- **VARIO Star 750 - 900**
on MAN TGL 8.210 / 8.240

The comfortable compact class VARIO Star is offered on high performance front engine chassis of Mercedes Benz and MAN.

The overall length of the vehicle amounts - depended upon individual floorplans - 6,5 to 9 m. The external width of 2,36 m makes this travel mobile very agile and unites a maximum of housing comfort and innovative technology on four wheels.

Important superstructures such as SAT antenna or air conditioning system are placed in the lowered front roof range. They do not increase the overall height of the VARIO Star.

The friendly bright interior arrangement of the VARIO Star is manufactured in real wood. With much love for the detail every VARIO mobile develops as an individual vehicle. Generous storage rooms offer an optimal utilization of the space and respectable payload capacities.

VARIO Star 800 on MAN TGL



Chassis	IVECO Daily 65 C 18, front engine	MAN TGL 8.210 front engine
Wheelbase	3.750 / 4.350 mm	3.600 / 3.900 / 4.200 / 4.500 mm
GVWR	6.500 kg	7.490 (8.800) kg
Front axle load limit	2.300 kg	4.000 kg
Rear axle load limit	5.000 kg	5.600 kg
Engine	4-cylinder turbo diesel intercooling	4-cylinder turbo diesel intercooling
Displacement	2.998 ccm	4.580 ccm
Performance	130 kW / 176 PS, 3.000-3.500 U/min, EURO 4, diesel particulate filter	151 kW/206 PS, EURO 4, PM-catalyser, 2.400 U/min
Torque	400 Nm via 1.250-3.000 U/min	830 Nm via 1.400 U/min
Brake system	Hydraulic 2-circuit-brake system, with low pressure, brake booster , ABS, ASR, electronic brake proportioning	ABS, electronic brake system BrakeMatic, engine brake, air pressure dryer heated
Steering	Servo	Servo, steering wheel adjustable
Suspension	Torsion spring up front, air suspension with body lifting system	FA boosted, parabolic spring FA + RA, stabilisers
Tyres equipment	225 / 75 R 16	235/75 R 17,5
Gear box	6-speed automatic transmission, Agile	6-speed automatic transmission
Fuel tank	100 l	200 (180) l
Electrical system	12 V / 110 Ah batteries	24 V, 2x 88 Ah batteries
Alternator	14 V / 120 A	28 V / 80 A
Anti-theft device	steering lock immobiliser	steering lock immobiliser
Miscellaneous	Cruise control, battery main switch, outside thermometer (together with air condition system)	Cruise control, outside thermometer, M+S tyres RA



Chassis	Mercedes Benz Sprinter 518 CDI, front engine	Mercedes Benz Atego 822 / 922, front engine	Mercedes Benz Atego 824 / 924, front engine
Wheelbase	3.550 / 4.325 mm	3.620 / 3.920 / 4.220 mm	3.620 / 3.920 / 4.220 mm
GVWR	5.000 / 5.300 kg	7.490 (up to 8.600) kg	7.490 (up to 8.600) kg
Front axle load limit	2.000 kg	3.800 kg	3.800 kg
Rear axle load limit	3.500 kg	5.700 kg	5.700 kg
Engine	V6-cylinder turbo diesel intercooling	4-cylinder turbo diesel intercooling	6-cylinder turbo diesel intercooling
Displacement	2.987 ccm	4.800 ccm	6.374 ccm
Performance	135 kW / 184 PS via 3.800 U/min, EURO 4, diesel particulate filter	160 kW/218 PS, EURO 4 Blue Tec operating supply item AdBlue, SCR-catalyser	175 kW/238 PS, EURO 4 Blue Tec operating supply item AdBlue, SCR-catalyser
Torque	400 Nm via 1.600-2.600 U/min	830 Nm via 1.400-1.600 U/min	850 Nm via 1.200-1.600 U/min
Brake system	Electronic stabilizer ADAPTIVE-ESP, ABS, ASR, brake assistant, hydraulic brake system	Telligent compressed air brake system with ABS, engine brake, air pressure dryer heated	Telligent compressed air brake system with ABS, engine brake, air pressure dryer heated
Steering	Servo, steering wheel adjustable	Servo, steering wheel adjustable	Servo, steering wheel adjustable
Suspension	Steel spring with transverse leaf up front, parabolic spring rear, stabilisers boosted	FA boosted, parabolic spring FA + RA, stabilisers boosted	FA boosted, parabolic spring FA + RA, stabilisers boosted
Tyres equipment	205 / 75 R 16	235/75 R 17,5	235/75 R 17,5
Gear box	6-speed automatic transmission	6-speed automatic transmission	6-speed automatic transmission
Fuel tank	75 l	180 l	180 l
Electrical system	12 V / 80 Ah	24 V, 2x 115 Ah batteries	24 V, 2x 115 Ah batteries
Alternator	14 V / 180 A	28 V / 80 A	28 V / 80 A
Anti-theft device	steering lock immobiliser	steering lock immobiliser	steering lock immobiliser
Miscellaneous	Outside thermometer battery main switch	Outside thermometer, cruise control, M+S tyres RA	Outside thermometer, cruise control, M+S tyres RA

All vehicle prices are quoted ex factory Bohmte while manufacturing a new vehicle.

* **Weight in working order means subjecting to the norm EN 1646-2***: unloaded weight included driver (75 kg), 90 % fuel, 100 % fresh water, 2 x 11 kg aluminium gas bottles, on board tool kit.

** **The payload subjecting norm EN 1646-2** follows from the difference of the gross vehicle weight rating (GVWR) and the weight of the vehicle in working order.

Please attend on the declaration of weight! Every additional installation (accessories/options/extras) reduce the standard payload capacity of the recreation vehicle.

Declarations of weights are approximately datas. Variations of +/- 5 % in the range of craft tolerance are possible and allowed.

The water system corresponds to technic standard 10/2007 [Norm 2002/72/EG]

(1) Total vehicle width = body width 2.310 mm.

(2) The total height depends on the dimension/height of the storage room/garage/car garage

VARIO Star 750 auf MB Sprinter mit großer Heckgarage und Einzelbetten



Type VARIO	Chassis	Wheelbase (mm)	GVWR /gross vehicle weight rating (kg)	Weight in working order* EN 1646-2	Payload** approx. (kg) EN 1646-2
Star 650	MB Sprinter 518 CDI	3550	5000 / 5300	3740	1260 / 1560
Star 700	MB Sprinter 518 CDI	4325	5000 / 5300	3960	1040 / 1340
Star 750	MB Sprinter 518 CDI	4325	5000 / 5300	4160	840 / 1140
Star 750	MB Atego 822	3620	7490 / 8600	5850	1640 / 2750
Star 750	MAN TGL 8.210	3600	7490 / 8800	5680	1810 / 3120
Star 750	IVECO Daily 65 C 18	3750	6500	4360	2140
Star 800	MAN TGL 8.210	3900	7490 / 8800	6030	1460 / 2770
Star 800	MB Atego 822	4220	7490 / 8600	6200	1290 / 2400
Star 800	IVECO Daily 65 C 18	4350	6500	4590	1910
Star 850	MAN TGL 8.210	4200	7490 / 8800	6130	1360 / 2670
Star 850	MB Atego 822	4220	7490 / 8600	6300	1190 / 2300
Star 900	MAN TGL 8.210	4500	7490 / 8800	6330	1160 / 2270


Type VARIO	Chassis	Length	Width ⁽¹⁾	Height ⁽²⁾	Fresh-water-tank	Grey water tank	Black water tank	Vehicle basic price without tax	Vehicle basic price 19 % German tax included
		(mm)	(mm)	(mm)	(Liter)	(Liter)	(Liter)	(EURO)	(EURO)
Star 650	MB Sprinter 518 CDI	6650	2360	3140	180	120	120	144.781,51	172.290,00
Star 700	MB Sprinter 518 CDI	7100	2360	3140	200	120	120	146.243,70	174.030,00
Star 750	MB Sprinter 518 CDI	7650	2360	3140	200	120	120	152.831,93	181.870,00
Star 750	MB Atego 822	7500	2360	3350	300	150	150	198.756,30	236.520,00
Star 750	MAN TGL 8.210	7500	2360	3350	300	150	150	194.319,33	231.240,00
Star 750	IVECO Daily 65 C 18	7650	2360	3150	200	120	120	159.327,73	189.600,00
Star 800	MAN TGL 8.210	8050	2360	3350	300	200	150	198.705,88	236.460,00
Star 800	MB Atego 822	8050	2360	3350	300	200	150	203.142,86	241.740,00
Star 800	IVECO Daily 65 C 18	8150	2360	3150	250	150	150	167.050,42	198.790,00
Star 850	MAN TGL 8.210	8500	2360	3350	350	200	200	208.218,49	247.780,00
Star 850	MB Atego 822	8500	2360	3350	350	200	200	212.655,46	253.060,00
Star 900	MAN TGL 8.210	8900	2360	3350	350	200	200	221.478,99	263.560,00

Individuality is our first priority


All VARIO recreation vehicles are purpose built - hand crafted with love to each detail. It is designed and built for you. The mapped floorplans are only a little selection to inspire you to make it yours. Every VARIOmobil is an unicorn.

Naturally special purpose vehicles are manufactured as well. Infoliner, conference- and presentation vehicle, second home, vacation domicile, first class hotel on four wheels or whatever your need is... VARIOmobil is building unique mobility that free you up.


Huge storage room capacity is standard for each VARIO mobile. While choosing a front- or middle-engine chassis scooter, quad, bicycles, boat or a subcompact car take place at the enormous rear garage.

The  - symbol is an indication: optional is a car garage for this floorplan possible. Other car types - than below listed - available on request. Please notice! Some of the floorplans are equipped with optional measurements.

 * Garage: Smart for two



Star 800 / A	Star 800 / B 2x rear end single beds	Star 800 / C 2x rear end single beds	Star 850 / A Smart garage	Star 850 / B 2x rear end single beds	Star 850 / C	Star 900 / A Smart garage	Star 900 / B 2x rear end single beds
--------------	---	---	------------------------------	---	--------------	------------------------------	---



Description	650	700	750	800	850	900
CHASSIS <small>quod vide detailed chassis equipment on page 2-3</small>						
Powerful 4- and 6-cylinder turbo diesel engines, direct injection, intercooling	■	■	■	■	■	■
6-speed automatic transmission	■	■	■	■	■	■
Servo steering	■	■	■	■	■	■
Brake system with disc brake at front- and rear axle	■	■	■	■	■	■
Anti-lock brake system (ABS) MB Sprinter, MB Atego, MAN TGL	■	■	■	■	■	■
Anti-lock brake system (ABS), ASR, EBD, IVECO Daily			■	■		
Stabiliser at front- and rear axle	■	■	■	■	■	■
Air suspension at rear axle IVECO Daily with body lifting system			■	■		
Bus-outside mirror placed at side wall, heatable and electric adjustable	■	■	■	■	■	■
Anti theft device/immobiliser electrical	■	■	■	■	■	■
Cruise control IVECO Daily, MB Atego, MAN TGL			■	■	VARIO	■
ISRINGHAUSEN drivers-/co-drivers comfort seat with integrated head- and armrests, adjustable in height and inclination, seat surface extendable, pneumatic lumbar support, turnable, 3-point-automatic-belt	■	■	■	■	■	■
Outside thermometer	■	■	■	■	■	■
Original frame lowering device for huge towing-capacity (up to 3.500 kg with trailer hitch ball)	■	■	■	■	■	■
Engine compartment with additional sound absorption	■	■	■	■	■	■
H7- main light, fog light, rear lights element with 2 x back lights and 2 x fog lights	■	■	■	■	■	■
Position lamps front / rear, LED side positioning lights	■	■	■	■	■	■
Drivers platform raised, planar engine cover			■	■	■	■
Underbody wax coating at the frame	■	■	■	■	■	■
High grade steel wheel covers all around	■	■	■	■	■	■
BODYWORK						
Full insulated self supporting body, glass fibre reinforced plastic (GRP), formed components seamless mounted	■	■	■	■	■	■
Corner joint profile without cold bridge	■	■	■	■	■	■
Aluminium-sandwich-roof with 40 mm insulation, completely walkable	■	■	■	■	■	■
GRP sandwich floor with 40 mm insulation	■	■	■	■	■	■
Side walls with 2,3 mm GRP and 40 mm PU-insulation	■	■	■	■	■	■
Under frame construction galvanised, painted steel profiles			■	■	■	■
Bus panorama windscreen, compound glass, toned	■	■	■	■	■	■
Winter package / drivers cabin: sliding windows with insulated glass, electric darkening/sun protection blind in front of the windscreen, electric driven (12 V)	■	■	■	■	■	■
Drivers cabin: sliding windows, tempered glass, insulated and toned	■	■	■	■	■	■
Living room: SEITZ hinged windows, toned double glass with darkening and mosquito blinds	■	■	■	■	■	■
VARIO entrance door with composite construction, coated frame. Electrical entry door step outside, controlled via door contact, internal entry door steps	■	■	■	■	■	■
One key locking system for storage room lids and filler necks	■	■	■	■	■	■
2 roof hoods with forced ventilation, darkening and mosquito blinds	■	■	■	■	■	■
Insulated and heatable rear garage for bicycle/scooter with side wise outside lid, gas props for lids	■	■	■	■	■	■
Underfloor storage rooms full insulated, lined with needled felt, illumination (MB Atego/MAN TGL)			■	■	■	■
Outside lids in composite construction like VARIO Perfect, coated frame, full insulated, gas props for outside lids (MB Atego/MAN TGL)			■	■	■	■
Insulated partial double floor system for frost free tank installation	■	■	■	■	■	■
Under body protection all over the vehicle body floor plan	■	■	■	■	■	■

Description	650	700	750	800	850	900
OUTSIDE DESIGN						
High quality painting/complete vehicle, two-component paint	■	■	■	■	■	■
Metallic design paint work (no plastic film)	■	■	■	■	■	■
INTERIOR & COCKPIT						
Furniture wood with two sided real wood veneer, oak or beech damped. Several furniture colours possible.	■	■	■	■	■	■
Lids and doors lined with solid wood profiles. Door edgings with solid wood profiles	■	■	■	■	■	■
Wardrobe with clothes rail, doors with 3-point-lock	■	■	■	■	■	■
Hanging cupboards/living area and bedroom: lids with push-lock-mechanism	■	■	■	■	■	■
Separation bath & bedroom: insulated sliding doors, sandwich construction with lock and automatic adjustment	■	■	■	■	■	■
Living room angle couch „half round“ with button tack and high quality fabric upholstery	■	■	■	■	■	■
ISRINGHAUSEN living room comfort seat with integrated head- & arm rests, adjustable in height and inclination, seat surface extendable, pneumatic lumbar support, turnable, high quality fabric upholstery, 3-point-automatic-safety belt, living room seat	■	■	■	■	■	■
Bar table version with extendable interface (500 mm) and news paper tray	■	■	■	■	■	■
Rear bed ventilated with FROLI-bed-system and cold foam mattress, 1300 x 2000/1400 x 2000 mm (quod vide floor plans on page 6/7)	■	■	■			
Rear bed ventilated with FROLI-bed-system and cold foam mattress 1500 x 2000 mm			■	■	■	
Rear bed ventilated with FROLI-bed-system and cold foam mattress 1600 x 2000 mm						■
Carpet in living room area not fixed/removable. Visible surfaces at ceiling and walls coated with velour, light grey	■	■	■	■	■	■
Energy saving halogen spots countersunk in ceiling and hanging cupboards	■	■	■	■	■	■
Additional storage trays at drivers/co-drivers floor area	■	■	■	■	■	■
KITCHEN						
Counter top: several decors with solid wood edging all around. Rubbish bin with cover, integrated in counter top	■	■	■	■	■	■
Drawers and pull outs on roller bearing	■	■	■	■	■	■
High grade steel sink with cover countersunk in counter top. Single hand control tap, chrome	■	■	■	■	■	■
3-flames high grade steel gas cooker, integrated glass cover, automatic ignition, countersunk in counter top	■	■	■	■	■	■
100 l refrigerator, automatic energy selection AES (12 V / 230 V / Gas), 10 l icebox	■	■	■	■	■	
142 l refrigerator, automatic energy selection AES (12 V / 230 V / Gas), 25 l icebox						■
Bar tray, solid wood, splash guard function	■	■	■	■	■	■
Hanging cupboards with lids, shelves and push-lock-mechanism	■	■	■	■	■	■
Outlets 2 x 230 V	■	■	■	■	■	■
BATH						
Inside area splash water-repellent, washable lined	■	■	■	■	■	■
CORIAN®/STARON® wash stand top with acrylic basin, countersunk	■	■	■	■	■	■
Single hand control tap, chrome	■	■	■	■	■	■
Wash stand: mirrored cabinet with threepart mirror, shelves. Floor cupboard with door. Outlet 230V	■	■	■	■	■	■
Lots of bath accessories (soap dispenser, tooth brush tumbler, toilette roll holder, towel hook)	■	■	■	■	■	■
Separate shower with folding/sliding door	■	■	■	■	■	■
Single hand shower tap with water saving sprinkler, chrome	■	■	■	■	■	■
CORIAN®-tray with chrome railing in shower	■	■	■	■	■	■
SEALAND porcelain water closet	■	■	■	■	■	■

Description	650	700	750	800	850	900
HEATING						
ALDE hot water central heating with wall convector heater, additional windscreen heating, underfloor storage room heating, heating capacity 6.000 W, thermostatic control, additional electric heating 230 V/1.050-2.100 W, integrated hot water boiler, 8,4 l. Night time heating reduction separate adjustable	■	■	■	■	■	■
Engine heat exchanger for warming up the living area via engine waste heat	■	■	■	■	■	■
WASSER SYSTEM						
Fresh water tank placed in insulated and heated internal space, quick emptying system, capacity 180 l	■					
Fresh water tank, capacity 200 l / 250 l (Iveco Daily)		■	■	■		
Fresh water tank, capacity 300 l			■	■		
Fresh water tank, capacity 350 l					■	■
Grey water tank placed in insulated double floor system, emptying slide valve placed in heated internal space, capacity 120 l	■	■	■			
Grey water tank, capacity 150 l			■	■		
Grey water tank, capacity 200 l				■	■	■
Black water tank placed in insulated double floor system, emptying slide valve placed in heated internal space, capacity 120 l	■	■	■			
Black water tank, capacity 150 l			■	■		
Black water tank, capacity 200 l					■	■
Water system with powerful compression water pump 11 l/min and expansion tank	■	■	■	■	■	■
Quick emptying slide valves at fully water system (winter emptying)	■	■	■	■	■	■
8,4 l hot water boiler (gas/230 V) integrated in ALDE central heating system	■	■	■	■	■	■
Central waste management with bayonet- connection 3" for grey water and black water tank. Waste management tube, extendable, placed in separate box	■	■	■	■	■	■
Fresh water tank filling via GARDENA®-port in storage room	■	■	■	■	■	■
ELECTRIC						
Solar panel 12V/55W with electronic charger	■	■	■	■	■	■
Service free living room gel battery 12 V / 225 Ah	■	■	■	■	■	■
Battery charger 12 V / 25 A with soft start, micro processed, temperature sensor	■	■	■	■	■	■
230 V connection in side wall/outside with input cable, FI-automatic protective switch	■	■	■	■	■	■
Automatic charging / living room batteries during travel	■	■	■	■	■	■
Automatic deactivation of the main power system while battery undervoltage	■	■	■	■	■	■
Central battery main control switch integrated in panel (for all extraction points)	■	■	■	■	■	■
LCD-VARIO-control-panel for monitoring the fresh water-, grey water-, black water tank and battery voltage of vehicle- and living room- battery, integrated heating steering	■	■	■	■	■	■
VARIO-relay splitter with 230 V and 12 V protection, gas-/generator tank display	■	■	■	■	■	■
Power supply lines user- and service friendly placed in a cable duct, electric main centre with WAGO-switchboard technic terminal	■	■	■	■	■	■
Energy saving halogen spots with separate switching mechanism	■	■	■	■	■	■
Several Outlets 230 V 230 V	■	■	■	■	■	■
GAS						
Gas bottles port for 2 x 11 kg gas bottles, TRUMA-Secumotion	■	■	■	■	■	■
MISCELLANEOUS						
Individual configuration/sampling of the interior, the terms of colour and outside design	■	■	■	■	■	■

OPTIONAL EQUIPMENT

☐ = option

■ = standard



Code	Description	kg	650	700	750	800	850	900	Netprice / EURO	Price incl. 19 % German tax (EURO)
Chassis Mercedes Benz Sprinter 518 CDI										
C140	Air condition drivers place, MB Sprinter	15	☐	☐	☐				1.700,00	2.023,00
C149	Cruise control, MB Sprinter	1	☐	☐	☐				339,50	404,00
C060	Diesel tank 100 l, MB Sprinter	28	☐	☐	☐				263,87	314,00
C160	Dashboard decor burl walnut, MB Sprinter	2	☐	☐	☐				340,34	405,00
C180	Wheel spacer FA (+ 110 mm), steel rims, tyre equipment FA 235/65 R 16, 4 x MB wheel cover	8	☐	☐	☐				1.002,52	1.193,00
Chassis Mercedes Benz ATEGO 822										
C100	Engine variation MB Atego 824-1024, 6 cylinder in line engine, EURO 4 (Blue Tec), pump-line-injection-system, 3-valve technic, exhaust turbo charger and intercooling, 6.374 ccm, 175 kW / 238 PS, 2.200 U/min, 850 Nm, 1.200-1.600 U/min	150		☐	☐	☐	☐		2.135,29	2.541,00
C101	Air suspension RA with body lifting system, MB Atego 822-1024	60		☐	☐	☐	☐		3.009,24	3.581,00
C113	Differential lock HA MB Atego	10		☐	☐	☐	☐		438,66	522,00
C142	Air condition drivers cabin MB Atego	20		☐	☐	☐	☐		1.673,11	1.991,00
C162	Dashboard decor burl walnut MB Atego	2		☐	☐	☐	☐		555,46	661,00
C182	Alloy rims SPEEDLINE 6,75 x 17,5, MB ATEGO 922-1024	-60		☐	☐	☐	☐		1.761,34	2.096,00
C920	MB Atego 922 load variation 9,5 t (4,0/6,2) along with serial 822			☐	☐	☐	☐		2.767,23	3.293,00
Chassis MAN TGL 8.210										
C200	Engine variation MAN TGL 8.240 / 10.240, 6 cylinder in line engine, Euro 4, PM-catalyser, common rail injection, turbo charger and intercooling, 6871 ccm, 176 kW / 240 PS, 2400 U/min, 925 Nm, 1200-1800 U/min	200		☐	☐	☐	☐	☐	3.073,11	3.657,00
C201	Air suspension RA MAN TGL 8.210-10.240, body lifting system	50		☐	☐	☐	☐	☐	2.153,78	2.563,00
C202	Air suspension FA MAN TGL 8.210-10.240, body lifting system	50		☐	☐	☐	☐	☐	8.555,46	10.181,00
C214	Differential lock HA MAN TGL	10		☐	☐	☐	☐	☐	351,26	418,00
C244	Air condition drivers cabin MAN TGL 8.210	20		☐	☐	☐	☐	☐	1.506,72	1.793,00
C264	Dashboard decor burl walnut, MAN TGL 8.210	2		☐	☐	☐	☐	☐	551,26	656,00
C281	Alloy rims 6,75 x 17,5 6-fold MAN TGL 8.210	-60		☐	☐	☐	☐	☐	1.714,29	2.040,00
C880	Load variation TGL 10.210 along with serial 8.210			☐	☐	☐	☐	☐	3.713,45	4.419,00
CHASSIS IVECO Daily 65 C 18										
C319	Differential lock RA IVECO Daily	15			☐	☐			666,39	793,00
C343	Air condition drivers cabin, IVECO Daily automatic climate control, AC particle filter outside thermometer, alternator 14V / 140 A	18			☐	☐			1.350,42	1.607,00
C369	Dashboard decor burl walnut, IVECO Daily	1			☐	☐			454,62	541,00
CHASSIS										
C001	Tyre pressure monitoring system (6 wheels)	6	☐	☐	☐	☐	☐	☐	1.415,96	1.685,00
C300	Leather- / wood steering wheel		☐	☐	☐	☐	☐	☐	1.381,51	1.644,00
C310	Double air pressure horn with magnetic valve	4			☐	☐	☐	☐	269,75	321,00
C700	Noise protection system for gear box and power train, modification exhaust system	40	☐	☐	☐	☐	☐	☐	1.968,91	2.343,00
C996	Compressed air connection in under storage room	2			☐	☐	☐	☐	233,61	278,00
D014	Splash guard front/rear	8	☐	☐	☐	☐	☐	☐	462,18	550,00
E501	Twin video rear vision colour monitoring system, dust protection lid, 7" LCD colour screen, IR-LED/low distance camera	7	☐	☐	☐	☐	☐	☐	1.702,52	2.026,00

OPTIONAL EQUIPMENT

☐ = option

■ = standard



Code	Description	kg	650	700	750	800	850	900	Netprice / EURO	Price incl. 19 % German tax (EURO)
R001	Hitch 2.500 kg, outlet 12 V, MB Sprinter. Please notice the GVWR for the set (7.000 kg)	15	☐	☐	☐				1.300,00	1.547,00
R002	Hitch 3.500 kg while GVWR 7.490 kg (only 3.000 kg if GVWR < 10.000 kg), outlet 12 V	20			☐	☐	☐	☐	1.709,24	2.034,00
R103	4 x hydraulic jacks for GVWR 6.000-11.990 kg, double effective cylinder, electric steering via panel (EURO-system)	160			☐	☐	☐	☐	8.418,49	10.018,00
R105	Additional manual operating system (R103/104) for hydraulic jacks	10			☐	☐	☐	☐	858,82	1.022,00

BODY

A024	Drivers door, VARIO Star	25	☐	☐	☐	☐	☐	☐	3.469,75	4.129,00
A007	Telescope ladder aluminium, solitary added	10	☐	☐	☐	☐	☐	☐	379,83	452,00
A008	Oval tube roof railing, aluminium painted	16	☐	☐	☐	☐	☐	☐	1.017,65	1.211,00
E400	4x halogen tail light, white, countersunk in side wall, controlled via reverse gear	10	☐	☐	☐	☐	☐	☐	1.836,13	2.185,00
E401	LED-back lights jack up mounted, flashing and stop lights	4	☐	☐	☐	☐	☐	☐	352,94	420,00
E408	LED outside light with motion detector and steady burning light circuitry, switch of system during travel	1	☐	☐	☐	☐	☐	☐	247,06	294,00
M002	Awning OMNISTOR 4 x 2,5 m, painted in vehicle colour	38		☐	☐	☐			1.362,18	1.621,00
M003	Awning OMNISTOR 5 x 2,75 m, automatic, painted in vehicle colour, electric drive, 230 V	52			☐	☐	☐	☐	2.189,92	2.606,00
M004	Awning OMNISTOR 6 x 2,75 m, automatic, painted in vehicle colour, electric drive, 230 V	56					☐	☐	2.354,62	2.802,00
S102	Tempered glass sliding windows instead of plastic windows	100			☐	☐	☐	☐	3.763,87	4.479,00
S302	Roof hatch OMNIVENT, 12 V vent, forced ventilation, darkening blind	7			☐	☐	☐	☐	478,99	570,00
S304	SEITZ winding lift sun roof Heki 1, approx. 960 x 655 mm, combi blind, forced ventilation	15	☐	☐	☐	☐	☐	☐	1.194,96	1.422,00
S403	Outside lid with under floor storage room	15	☐	☐	☐	☐	☐	☐	1.544,54	1.838,00
S500	Additional outside lid with gas props for rear end storage room at drivers side	30	☐	☐	☐	☐	☐	☐	2.693,28	3.205,00
S603	Mosquito door and additional safety lock for VARIO entrance door	12	☐	☐	☐	☐	☐	☐	1.296,64	1.543,00

INTERIOR

F004	Fold away bed (2.000 x 1.200 mm) at drivers cabin, cancellation hanging cupboards above drivers-/co-drivers seats	50	☐	☐	☐	☐	☐	☐	1.794,96	2.136,00
F008	Furniture safe deposit, electronic combination lock	8	☐	☐	☐	☐	☐	☐	264,71	315,00
F017	Pull out cabinet with 5 baskets, individual adjustable	20	☐	☐	☐	☐	☐	☐	1.417,65	1.687,00
F018	Ceiling lamps, 6 x halogen spots countersunk in ceiling, dimmer	2	☐	☐	☐	☐	☐	☐	831,93	990,00
F030	Two doors in centre under the living room table, bottle rack below, board on the top	8	☐	☐	☐	☐	☐	☐	308,40	367,00
F040	Extension in seating bench	8	☐	☐	☐	☐	☐	☐	263,87	314,00
F050	Glass show case, illuminated, mirrored rear panel, drinking glasses display, top cabinet on existent cabinet	13	☐	☐	☐	☐	☐	☐	1.593,28	1.896,00
F052	Drinking glasses set „VARIO“ for glass show case	1	☐	☐	☐	☐	☐	☐	126,89	151,00
F133	Furniture design „bentART“, convex rounded lids, real wood veneer, cubical furniture edges 30 mm	35	☐	☐	☐	☐	☐	☐	4.124,37	4.908,00
F134	Interior: Canadian maple, real wood veneer colour: natural, light	15	☐	☐	☐	☐	☐	☐	2.873,95	3.420,00
F135	Interior: Canadian maple, real wood veneer colour: middle-tone / honey	15	☐	☐	☐	☐	☐	☐	2.873,95	3.420,00
F136	Interior: American cherry, real wood veneer		☐	☐	☐	☐	☐	☐	5.547,90	6.602,00
F141	Interior: beech damped real wood veneer, doors and lids: solid wood with facets all around, vertical furniture edges lined with solid wood profiles	40	☐	☐	☐	☐	☐	☐	3.202,52	3.811,00
F144	Interior: Canadian maple, real wood veneer colour: natural, light, doors and lids: solid wood with facets all around, vertical furniture edges lined with solid wood profiles	50	☐	☐	☐	☐	☐	☐	6.310,08	7.509,00
F145	Interior: Canadian maple, real wood veneer colour: middle tone / honey, doors and lids: solid wood with facets all around, vertical furniture edges lined with solid wood profiles	50	☐	☐	☐	☐	☐	☐	6.310,08	7.509,00

OPTIONAL EQUIPMENT

□ = option ■ = standard

VARIO
star

Code	Description	kg	650	700	750	800	850	900	Netprice / EURO	Price incl. 19 % German tax (EURO)
F146	Interior: American cherry, real wood veneer, doors and lids: solid wood with facets all around, vertical furniture edges lined with solid wood profiles	35	□	□	□	□	□	□	11.494,12	13.678,00
F221	2x single beds in rear end area, bed width 850 mm, nightstand	30		□	□	□	□	□	2.099,16	2.498,00
N006	Leather upholstery (Nappa leather) living area	20	□	□	□	□	□	□	3.280,67	3.904,00
N013	ALCANTARA®upholstery	10	□	□	□	□	□	□	3.178,99	3.783,00
KITCHEN										
F004	Kitchen counter top CORIAN® / STARON®	25	□	□	□	□	□	□	2.078,99	2.474,00
K001	142 l refrigerator with AES, 25 l ice box	20			□	□	□	■	1.068,91	1.272,00
K005	190 l refrigerator with AES, 33 l ice box, instead of 142 l serial refrigerator	10						□	240,34	286,00
P004	Microwave with integrated grill	17	□	□	□	□	□	□	826,89	984,00
P012	Double bowl sink in kitchen	4	□	□	□	□	□	□	140,34	167,00
BATH										
J005	CORIAN® / STARON® flooring for bath version „extra roomy“	40	□	□	□	□	□	□	2.393,28	2.848,00
J011	Tray under mirrored cabinet with chrome railing	3	□	□	□	□	□	□	130,25	155,00
J012	Clothes rail in shower	1	□	□	□	□	□	□	39,50	47,00
J032	Thermostatic mixing shower tap: chrome	1	□	□	□	□	□	□	151,26	180,00
J040	Real glass quarter circle shower, white, together with bath version „extra roomy“	15				□	□	□	1.604,20	1.909,00
MULTIMEDIA										
E002	LCD flat screen TV, 26", stereo, remote control	25	□	□	□	□	□	□	2.546,22	3.030,00
E003	LCD flat screen TV, 20", stereo, remote control	15	□	□	□	□	□	□	1.856,30	2.209,00
E004	Satellite system CRYSTOP Autosat 2, DBV (digital), 85 cm parabolic reflector autolevel, receiver	30	□	□	□	□	□	□	3.049,57	3.629,00
E005	Additional TWIN LNB for CRYSTOP, 2 nd digital-receiver with remote control, antenna port	3	□	□	□	□	□	□	684,87	815,00
E008	DVD Player, 12V, remote control	7	□	□	□	□	□	□	756,30	900,00
E101	GPS navigation VDO Dayton MS 5200 XL, 7" monitor for map presentation, dynamic recommended route via TMC module, Europe map on SD chip	6			□	□	□	□	2.127,73	2.532,00
E102	GPS-Navigation VDO Dayton MS 6200 , 6,5" touch screen monitor for 2D/3D map presentation, double DIN, dynamic recommended route via TMC module, Europe map on SD-chip, radio UKW-RDS, MW tuner, 4 x 55W, DVD/CD/MP3-slot, SD-map reader, 4 speaker, combi antenna, bluetooth hands free speaking set	10	□	□	□				2.980,67	3.547,00
E103	VDO-Dayton truck navigation TSN (together with E101/E102) corresponding with weight, length, width, height of the recreation vehicle		□	□	□	□	□	□	200,00	238,00
E104	Audio-/video connection radio system with LCD flat screen	1	□	□	□	□	□	□	244,54	291,00
E115	Radio navigation BECKER Cascade, UKW, MW, LW, KW, 2 UKW tuner, RDS, dynamic recommended route via TMC module, 4x30W, MP3/CD-Player, CF card Europe, 4 speaker, roof antenna, bluetooth hands free speaking set	6	□	□	□	□	□	□	2.263,87	2.694,00
E116	Radio BECKER Grand Prix, UKW, MW, LW, KW, 2 UKW tuner, RDS, 4x30W, MP3/CD/WMA player, 4 speaker, roof antenna, bluetooth hands free speaking set	6	□	□	□	□	□	□	1.255,46	1.494,00
E117	CD changer, 6 fold	3	□	□	□	□	□	□	465,55	554,00
E118	Radio console MB Atego, 1 x DIN slot	1			□	□	□		197,48	235,00
E120	Radio console MAN TGL/TGM, 2 x DIN slot	6			□	□	□		201,68	240,00
E700	Preparation for car phone - included roof antenna, D-net and handy hands free speaking set	2	□	□	□	□	□	□	548,74	653,00
E800	CB radio system STABO, roof antenna	2	□	□	□	□	□	□	646,22	769,00

OPTIONAL EQUIPMENT

☐ = option

■ = standard

VARIO
star

Code	Description	kg	650	700	750	800	850	900	Netprice / EURO	Price incl. 19 % German tax (EURO)
ELECTRIC										
E200	Service free AGM batteries 450 Ah together with stroked charger 12 V / 45 A, microprocessed with soft start and battery temperature sensor	80	☐	☐	☐	☐	☐	☐	1.399,16	1.665,00
E242	Charger 24 V / 15 A for start batteries, temperature sensor	5	☐	☐	☐	☐	☐	☐	600,84	715,00
E232	Solar panel 125 W (total capacity), charge controller	15	☐	☐	☐	☐	☐	☐	1.148,74	1367,00
E233	Solar panel 250 W (total capacity), charge controller	35	☐	☐	☐	☐	☐	☐	2.448,74	2.914,00
E240	Battery monitoring system / ampere hours counter for living room batteries	2	☐	☐	☐	☐	☐	☐	656,30	781,00
E250	Sinus inverter 12 -> 230 V / 1.500 W, automatic change over system	13	☐	☐	☐	☐	☐	☐	2.254,62	2.683,00
E252	MASTERVOLT charger / sinus inverter combination, loading capacity 12 V / 100 A, charge power 4 – 16 A outside el. connection, sinus inverter with 12 – 230 V/2000 FA, automatic change over system (only together with E200/E201)	20	☐	☐	☐	☐	☐	☐	3.661,34	4.357,00
E600	Outlet 230 V additional	1	☐	☐	☐	☐	☐	☐	101,68	121,00
E601	Outlet 12 V additional	1	☐	☐	☐	☐	☐	☐	101,68	121,00
GENERATOR										
G001	Outside lid for Generator	15	☐	☐	☐	☐	☐	☐	896,64	1.067,00
G003	Benzine generator DOMETIC TEC 29, 2,6 kW, 230 V, 1 cylinder, noise absorber box, operating panel, 30 l tank, fuel gauge	85	☐	☐	☐	☐	☐	☐	5.798,32	6.900,00
G004	Diesel generator DOMETIC TEC 30, 2,5 kW, 230 V, 1 cylinder Hatz diesel engine, air cooled, noise absorber box, operating panel	90	☐	☐	☐	☐	☐	☐	7.336,13	8.730,00
AIR CONDITION										
E300	Roof air condition DOMETIC Blizzard 2200, 230 V, cooling capacity 2.050 W (generator power > 2,5 kW)	32	☐	☐	☐	☐	☐	☐	2.195,80	2.613,00
E301	Roof air condition WAECO CA 2500, 230 V, cooling capacity 2500 W with easy start electronic, additional fresh air operating, IR remote control (generator capacity > 3,4 kW)	45	☐	☐	☐	☐	☐	☐	2.240,34	2.666,00
E305	Roof air condition TRUMA Saphir Vario, 230 V, cooling capacity approx. 600/1.500/2.000 W, double compressor integrated in furniture, electronic temperature sensor, remote control, air vent	35	☐	☐	☐	☐	☐	☐	2.992,44	3.561,00
BICYCLE-/SCOOTER GARAGE										
R203	Safety preparation for 2 bicycles in rear garage with floor racks	10	☐	☐	☐	☐	☐	☐	434,45	517,00
R204	Installation scooter incl. rack and ramp (not available for rear engine)	20	☐	☐	☐	☐	☐	☐	1.121,01	1.334,00
GAS										
B001	Gas tank 60 l ice ex, (80% refillable), distance filling level display	60	☐	☐	☐	☐	☐	☐	1.181,51	1.406,00
B002	Gas tank 85 l ice ex, (80% refillable), distance filling level display	70			☐	☐	☐	☐	1.414,29	1.683,00
B005	Gas extraction valve in storage room	2	☐	☐	☐	☐	☐	☐	201,68	240,00
B010	Gas bottles extension system for 2 x 11 Kg gas bottles	10	☐	☐	☐	☐	☐	☐	296,64	353,00
B014	GIM gas bottles filling level display for two gas bottles (steel)	2	☐	☐	☐	☐	☐	☐	296,64	353,00
Z007	2 x Gas bottles grey per 11 kg, filled	48	☐	☐	☐	☐	☐	☐	161,34	192,00

OPTIONAL EQUIPMENT

☐ = option

■ = standard

VARIO
star

Code	Description	kg	650	700	750	800	850	900	Netprice / EURO	Price incl. 19 % German tax (EURO)
HEATING										
H003	Towel dryer, bath, white	10	☐	☐	☐	☐	☐	☐	401,68	478,00
H004	Floor heating system in bath area	6	☐	☐	☐	☐	☐	☐	873,11	1.039,00
H005	Floor heating system in living area	25	☐	☐	☐	☐	☐	☐	1.575,63	1.875,00
H006	Bed room heating with separate room thermostat, by-pass line	6	☐	☐	☐	☐	☐	☐	294,12	350,00
H008	Hot water diesel heating system WEBASTO Thermo Top additional heating circuit, heating capacity 5.000 W, thermostatic steering	10			☐	☐	☐	☐	2.760,50	3.285,00
WATER SYSTEM										
W002	Outside shower, tap (cold/warm) in outside storage room	5	☐	☐	☐	☐	☐	☐	403,36	480,00
W201	Drinking water preparation plant	4	☐	☐	☐	☐	☐	☐	304,20	362,00
W202	SEAGULL drinking water preparation plant	6	☐	☐	☐	☐	☐	☐	999,16	1.189,00
W400	Wash up system for black water tank (connection between grey and black water tank)	3			☐	☐	☐	☐	252,10	300,00
PAINTING										
L101	Painting metallic, VARIO Star	40	☐	☐	☐	☐	☐	☐	4.391,60	5.226,00
L201	Painting mirrors in vehicle colour		☐	☐	☐	☐	☐	☐	252,10	300,00
MISCELLANEOUS										
Z014	Fire extinguisher 2 kg	3	☐	☐	☐	☐	☐	☐	196,64	234,00
Y001	TÜV German technical inspection		☐	☐	☐	☐	☐	☐	428,57	510,00
Z001	Ultra sound alarm system with door-/storage contacts	3	☐	☐	☐	☐	☐	☐	1.100,84	1.310,00
Z003	Service package, 2 x 20 m GARDENA folded tube, Euro gas tank adapter, Euro gas bottles adapter	6	☐	☐	☐	☐	☐	☐	263,03	313,00
Z004	„k.o.“ - gas-warning system / bedroom	1	☐	☐	☐	☐	☐	☐	258,82	308,00

Welcome to first class...



Fahrzeugbau GmbH

Bremer Straße/ Industriegebiet
D - 49163 Bohmte
Telefon ++49 (0) 5471 - 95 11 - 0
Fax ++49 (0) 5471 - 95 11 - 59
M@il info@vario-mobil.com
Willkommen! www.vario-mobil.com
www.variomobil.de

Please notice! VARIOmobil does not represent or warrant that its motorhomes can lawfully be operated on all roads or in all states. Laws restricting the length, width, and/or weight of vehicles vary from state to state. It is the responsibility of each prospective purchaser of a motorhome to determine any limitations or restriction on the use of the motorhome in the states in which the purchaser intends to use it. Due to constant product improvements, styling, design, equipment and construction are subject to change without notice or obligation. We reserve the right to make changes, but are happy to verify any item on request. Some items featured may be optional.

Bohmte - Summer 2008.
Modifications and mistakes possible.