



# **VARIO** *star*

Specifications - Features - Technic - Prices

2010



## Handy and easy to use

Here you find a chassis overview and first sights of the most important base data of the

- **VARIO Star 650 - 750**  
on MB Sprinter 519 CDI
- **VARIO Star 750 - 800**  
on IVECO Daily 65 C 18
- **VARIO Star 750 - 850**  
on MB Atego 822 / 824
- **VARIO Star 750 - 900**  
on MAN TGL 8.220 / 8.250

The overall length of the vehicle amounts - depend on individual floorplans - 6,5 to 9 m. The external width of 2,36 m makes this travel mobile very agile and unites a maximum of housing comfort and innovative technology on four wheels.

Important superstructures such as SAT antenna or air conditioning system are placed in the lowered front roof range. They do not increase the overall height of the VARIO Star.

The friendly bright interior arrangement of the VARIO Star is manufactured in real wood. With much love for the detail every VARIO mobile develops as an individual vehicle. Generous storage rooms offer an optimal utilization of the space and respectable payload capacities.

VARIO Star 800 on MAN TGL



## IVECO



| Chassis               | IVECO Daily<br>65 C 18, front engine   | MAN TGL 8.220<br>front engine  |
|-----------------------|--|--|
| Wheelbase             | 3.750 / 4.350 mm   | 3.600 / 3.900 / 4.200 / 4.500 mm   |
| GVWR                  | 6.500 kg   | 7.490 (8.800) kg   |
| Front axle load limit | 2.300 kg   | 4.000 kg   |
| Rear axle load limit  | 5.000 kg   | 5.600 kg   |
| Engine                | 4-cylinder turbo diesel<br>intercooling  | 4-cylinder turbo diesel<br>intercooling  |
| Displacement          | 2.998 ccm  | 4.580 ccm  |
| Performance           | 125 kW / 170 PS,<br>EURO 5, diesel particulate filter  | 162 kW/220 PS,<br>EURO 5,<br>PM-catalyser, 2.400 rpm   |
| Torque                | 400 Nm / 1.250-3.000 rpm   | 830 Nm / 1.400 rpm   |
| Brake system          | Hydraulic 2-circuit-brake system,<br>with low pressure,<br>brake booster , ABS, TCS, EBD         | ABS, electronic brake system BrakeMatic,<br>engine brake,<br>compressed air convection dryer, heatable |
| Steering              | Servo  | Servo, steering wheel adjustable   |
| Suspension            | Torsion spring up front, air suspension with<br>body lifting system rear                         | FA boosted, parabolic spring FA + RA, stabilisers  |
| Tyres equipment       | 225 / 75 R 16  | 235/75 R 17,5  |
| Gear box              | 6-speed<br>automatic transmission, Agile   | 6-speed<br>automatic transmission, TipMatik®   |
| Fuel tank             | 100 l  | 200 (180) l  |
| Electrical system     | 12 V / 110 Ah battery  | 24 V, 2x 88 Ah batteries   |
| Alternator            | 14 V / 120 A   | 28 V / 80 A  |
| Anti-theft device     | steering lock<br>immobiliser   | steering lock<br>immobiliser   |
| Miscellaneous         | Cruise control, battery main switch,<br>outside thermometer (together with air condition system) | Cruise control, outside thermometer,<br>M+S tyres RA   |



| Chassis               | Mercedes Benz Sprinter<br>519 CDI, front engine   | Mercedes Benz Atego<br>822 / 922, front engine  | Mercedes Benz Atego<br>824 / 924, front engine  |
|-----------------------|---|---|---|
| Wheelbase             | 3.550 / 4.325 mm  | 3.620 / 3.920 / 4.220 mm  | 3.620 / 3.920 / 4.220 mm  |
| GVWR                  | 5.000 / 5.300 kg  | 7.490 (up to 8.600) kg  | 7.490 (up to 8.600) kg  |
| Front axle load limit | 2.000 kg  | 3.800 kg  | 3.800 kg  |
| Rear axle load limit  | 3.500 kg  | 5.700 kg  | 5.700 kg  |
| Engine                | V6-cylinder turbo diesel<br>intercooling  | 4-cylinder turbo diesel<br>intercooling   | 6-cylinder turbo diesel<br>intercooling   |
| Displacement          | 2.987 ccm   | 4.800 ccm   | 6.374 ccm   |
| Performance           | 140 kW / 190 PS,<br>EURO 5,<br>diesel particulate filter                                  | 160 kW/218 PS, EURO 5<br>Blue Tec operating supply item AdBlue,<br>SCR-catalyser                              | 175 kW/238 PS, EURO 5<br>Blue Tec operating supply item AdBlue,<br>SCR-catalyser                              |
| Torque                | 440 Nm / 1.400-2.400 rpm  | 810 Nm / 1.400-1.600 rpm  | 850 Nm / 1.200-1.600 rpm  |
| Brake system          | Electronic stabilizer ADAPTIVE-ESP,<br>ABS, ASR, brake assistant, hydraulic brake system  | Telligent compressed air brake system with ABS,<br>engine brake,<br>compressed air convection dryer, heatable | Telligent compressed air brake system with ABS,<br>engine brake,<br>compressed air convection dryer, heatable |
| Steering              | Servo, steering wheel adjustable  | Servo, steering wheel adjustable  | Servo, steering wheel adjustable  |
| Suspension            | Steel spring with transverse leaf up front,<br>parabolic spring rear, stabilisers boosted | FA boosted, parabolic spring FA + RA,<br>stabilisers boosted  | FA boosted, parabolic spring FA + RA,<br>stabilisers boosted  |
| Tyres equipment       | 205 / 75 R 16   | 235/75 R 17,5   | 235/75 R 17,5   |
| Gear box              | 5-speed<br>automatic transmission   | 6-speed<br>automatic transmission, Telligent  | 6-speed<br>automatic transmission, Telligent  |
| Fuel tank             | 75 l  | 180 l   | 180 l   |
| Electrical system     | 12 V / 80 Ah  | 24 V, 2x 115 Ah batteries   | 24 V, 2x 115 Ah batteries   |
| Alternator            | 14 V / 180 A  | 28 V / 80 A   | 28 V / 80 A   |
| Anti-theft device     | steering lock<br>immobiliser  | steering lock<br>immobiliser  | steering lock<br>immobiliser  |
| Miscellaneous         | Outside thermometer<br>battery main switch  | Outside thermometer, cruise control,<br>M+S tyres RA  | Outside thermometer, cruise control,<br>M+S tyres RA  |



VARIO Star 750 on MB Sprinter  
with huge passenger car garage and 2 x single beds

All vehicle prices are quoted ex factory Bohmte while manufacturing a new vehicle.

\* **Weight in working order means subjecting to the norm EN 1646-2\***: unloaded weight included driver (75 kg), 90 % fuel, 100 % fresh water, 2 x 11 kg aluminium gas bottles, on board tool kit.

\*\* **The payload subjecting norm EN 1646-2** follows from the difference of the gross vehicle weight rating (GVWR) and the weight of the vehicle in working order.

**Please notice the declaration of weight!** Every additional installation (accessories/ options/extras) reduce the standard payload capacity of the recreation vehicle.

The declaration of weight is an approximately data. Variations of +/- 5 % in the range of craft tolerance are possible and allowed.

(1) Total vehicle width 2.360 mm = body width 2.310 mm.

(2) The total height depends on the dimension/height of the storage room/garage/car garage

| Type VARIO      | Chassis             | Wheelbase<br>(mm) | GVWR /gross<br>vehicle weight<br>rating<br>(kg) | Weight<br>in working<br>order*<br>EN 1646-2 | Payload**<br>approx. (kg)<br>EN 1646-2 |
|-----------------|---------------------|-------------------|---|---|--|
| <b>Star 650</b> | MB Sprinter 519 CDI | 3.550             | 5.000 / 5.300                                   | 3.740                                       | 1.260 / 1.560                          |
| <b>Star 700</b> | MB Sprinter 519 CDI | 4.325             | 5.000 / 5.300                                   | 3.960                                       | 1.040 / 1.340                          |
| <b>Star 750</b> | MB Sprinter 519 CDI | 4.325             | 5.000 / 5.300                                   | 4.160                                       | 840 / 1.140                            |
| <b>Star 750</b> | MB Atego 822        | 3.620             | 7.490 / 8.600                                   | 5.850                                       | 1.640 / 2.750                          |
| <b>Star 750</b> | MAN TGL 8.220       | 3.600             | 7.490 / 8.800                                   | 5.750                                       | 1.740 / 3.050                          |
| <b>Star 750</b> | IVECO Daily 65 C 18 | 3.750             | 6.500   | 4.360                                       | 2.140                                  |
| <b>Star 800</b> | MAN TGL 8.220       | 3.900             | 7.490 / 8.800                                   | 6.100                                       | 1.390 / 2.700                          |
| <b>Star 800</b> | MB Atego 822        | 4.220             | 7.490 / 8.600                                   | 6.200                                       | 1.290 / 2.400                          |
| <b>Star 800</b> | IVECO Daily 65 C 18 | 4.350             | 6.500   | 4.590                                       | 1.910                                  |
| <b>Star 850</b> | MAN TGL 8.220       | 4.200             | 7.490 / 8.800                                   | 6.200                                       | 1.290 / 2.600                          |
| <b>Star 850</b> | MB Atego 822        | 4.220             | 7.490 / 8.600                                   | 6.300                                       | 1.190 / 2.300                          |
| <b>Star 900</b> | MAN TGL 8.220       | 4.500             | 7.490 / 8.800                                   | 6.400                                       | 1.090 / 2.200                          |

| Type VARIO      | Chassis             | Length | Width <sup>(1)</sup> | Height <sup>(2)</sup> | Fresh-water-tank | Grey water tank | Black water tank | Vehicle basic price without tax | Vehicle basic price 19 % German tax included |
|-----------------|---------------------|--------|----------------------|-----------------------|------------------|-----------------|------------------|---------------------------------|--|
|                 |                     | (mm)   | (mm)                 | (mm)                  | (Liter)          | (Liter)         | (Liter)          | (EURO)                          | (EURO)                                       |
| <b>Star 650</b> | MB Sprinter 519 CDI | 6.650  | 2.360                | 3.140                 | 180              | 120             | 120              | 147.848,73                      | <b>175.940,00</b>                            |
| <b>Star 700</b> | MB Sprinter 519 CDI | 7.100  | 2.360                | 3.140                 | 200              | 120             | 120              | 149.336,13                      | <b>177.710,00</b>                            |
| <b>Star 750</b> | MB Sprinter 519 CDI | 7.650  | 2.360                | 3.140                 | 200              | 120             | 120              | 155.117,64                      | <b>184.590,00</b>                            |
| <b>Star 750</b> | MB Atego 822        | 7.500  | 2.360                | 3.350                 | 300              | 150             | 150              | 206.605,04                      | <b>245.860,00</b>                            |
| <b>Star 750</b> | MAN TGL 8.220       | 7.500  | 2.360                | 3.350                 | 300              | 150             | 150              | 202.176,47                      | <b>240.590,00</b>                            |
| <b>Star 750</b> | IVECO Daily 65 C 18 | 7.650  | 2.360                | 3.150                 | 200              | 120             | 120              | 163.058,82                      | <b>194.040,00</b>                            |
| <b>Star 800</b> | MAN TGL 8.220       | 8.050  | 2.360                | 3.350                 | 300              | 200             | 150              | 206.630,25                      | <b>245.890,00</b>                            |
| <b>Star 800</b> | MB Atego 822        | 8.050  | 2.360                | 3.350                 | 300              | 200             | 150              | 211.058,82                      | <b>251.160,00</b>                            |
| <b>Star 800</b> | IVECO Daily 65 C 18 | 8.150  | 2.360                | 3.150                 | 250              | 150             | 150              | 170.899,15                      | <b>203.370,00</b>                            |
| <b>Star 850</b> | MAN TGL 8.220       | 8.500  | 2.360                | 3.350                 | 350              | 200             | 200              | 216.285,71                      | <b>257.380,00</b>                            |
| <b>Star 850</b> | MB Atego 822        | 8.500  | 2.360                | 3.350                 | 350              | 200             | 200              | 220.714,28                      | <b>262.650,00</b>                            |
| <b>Star 900</b> | MAN TGL 8.220       | 8.900  | 2.360                | 3.350                 | 350              | 200             | 200              | 229.747,89                      | <b>273.400,00</b>                            |


## Individuality is our first priority


Each VARIO recreation vehicle is purpose built - hand crafted with love to each detail. It is designed and built for you. The mapped floorplans are only a little selection to inspire you to make it yours.


Every VARIOmobil is an unicum.

Naturally special purpose vehicles are manufactured as well. Infoliner, conference- and presentation vehicle, second home, vacation domicile, first class hotel, mobile banking centre on four wheels or whatever your need is... VARIOmobil is building unique mobility that frees you up.


Huge storage room capacity is standard for each VARIOmobil. While choosing a front- or middle-engine chassis scooter, quad, bicycles, boat or a subcompact car take place at the enormous rear garage.

The  - symbol is an indication: optional is a car garage for this floorplan possible. Other car types - than below listed - available on request. Please notice! Some of the floorplans are equipped with optional measurements.

 \* Garage: Smart for two



|              |  |  |                              |  |              |                              |  |
|--------------|--|--|------------------------------|--|--------------|------------------------------|--|
| Star 800 / A | Star 800 / B<br>2 x rear end single beds | Star 800 / C<br>2 x rear end single beds | Star 850 / A<br>Smart-Garage | Star 850 / B<br>2 x rear end single beds | Star 850 / C | Star 900 / A<br>Smart-Garage | Star 900 / B<br>2 x rear end single beds |
|--------------|--|--|------------------------------|--|--------------|------------------------------|--|



| Description   | 650 | 700 | 750 | 800 | 850 | 900 |
|---|-----|-----|-----|-----|-----|-----|
| <b>CHASSIS</b> <small>quod vide detailed chassis equipment on page 2-3</small>  |     |     |     |     |     |     |
| Powerful 4- and 6-cylinder turbo diesel engines, direct injection, intercooling   | ■   | ■   | ■   | ■   | ■   | ■   |
| 6-speed automatic transmission  | ■   | ■   | ■   | ■   | ■   | ■   |
| Servo steering  | ■   | ■   | ■   | ■   | ■   | ■   |
| Brake system with disc brake at front- and rear axle  | ■   | ■   | ■   | ■   | ■   | ■   |
| Anti-lock brake system (ABS) MB Sprinter, MB Atego, MAN TGL   | ■   | ■   | ■   | ■   | ■   | ■   |
| Anti-lock brake system (ABS), TCS, EBD, IVECO Daily   |     |     | ■   | ■   |     |     |
| Stabiliser at front- and rear axle  | ■   | ■   | ■   | ■   | ■   | ■   |
| Air suspension at rear axle IVECO Daily with body lifting system  |     |     | ■   | ■   |     |     |
| Bus-outside mirror placed at side wall, heatable and electric adjustable  | ■   | ■   | ■   | ■   | ■   | ■   |
| Anti theft device/immobiliser electrical  | ■   | ■   | ■   | ■   | ■   | ■   |
| Cruise control IVECO Daily, MB Atego, MAN TGL   |     |     | ■   | ■   | ■   | ■   |
| SKA drivers-/co-drivers comfort seat with integrated head- and armrests, adjustable in height and inclination, seat surface extendable, pneumatic lumbar support, turnable, 3-point-automatic-belt for driver and co-driver | ■   | ■   | ■   | ■   | ■   | ■   |
| Outside thermometer   | ■   | ■   | ■   | ■   | ■   | ■   |
| Original frame lowering device for huge towing-capacity (up to 3.500 kg with trailer hitch ball)  |     |     | ■   | ■   | ■   | ■   |
| Engine compartment with additional sound absorption   | ■   | ■   | ■   | ■   | ■   | ■   |
| H7- main light, fog light, rear lights element with 2 x back lights and 2 x fog lights and 2 x reversing lights   | ■   | ■   | ■   | ■   | ■   | ■   |
| LED position lamps front / rear, LED side positioning lights  | ■   | ■   | ■   | ■   | ■   | ■   |
| Drivers platform raised, planar engine cover  |     |     | ■   | ■   | ■   | ■   |
| Underbody wax coating at the frame  | ■   | ■   | ■   | ■   | ■   | ■   |
| High grade steel wheel covers all around  | ■   | ■   | ■   | ■   | ■   | ■   |
| <b>BODYWORK</b>   |     |     |     |     |     |     |
| Full insulated self supporting body, glass fibre reinforced plastic (GRP), formed components seamless mounted   | ■   | ■   | ■   | ■   | ■   | ■   |
| Corner joint profile without cold bridge GRP  | ■   | ■   | ■   | ■   | ■   | ■   |
| Aluminium-sandwich-roof with 40 mm insulation, completely walkable  | ■   | ■   | ■   | ■   | ■   | ■   |
| GRP sandwich floor with 40 mm insulation  | ■   | ■   | ■   | ■   | ■   | ■   |
| Side walls with 2 mm GRP (outside) and 40 mm PU-insulation  | ■   | ■   | ■   | ■   | ■   | ■   |
| Under frame construction galvanised, painted steel profiles   |     |     | ■   | ■   | ■   | ■   |
| Bus panorama windscreen, compound glass, toned  | ■   | ■   | ■   | ■   | ■   | ■   |
| Electric darkening / sun blind (12V) in front of wind screen  | ■   | ■   | ■   | ■   | ■   | ■   |
| Drivers cabin: sliding windows, tempered glass, insulated and toned   | ■   | ■   | ■   | ■   | ■   | ■   |
| Living room: SEITZ hinged windows, toned double glass with darkening and mosquito blinds  | ■   | ■   | ■   | ■   | ■   | ■   |
| VARIO entrance door with composite construction, coated frame. Electrical entry door step outside, controlled via door contact, internal entry door steps   | ■   | ■   | ■   | ■   | ■   | ■   |
| One key locking system for storage room flaps and filler necks  | ■   | ■   | ■   | ■   | ■   | ■   |
| 2 roof hoods with forced ventilation, darkening and mosquito blinds   | ■   | ■   | ■   | ■   | ■   | ■   |
| Insulated and heatable rear garage for bicycle/scooter with side wise outside lid, gas props for flaps  | ■   | ■   | ■   | ■   | ■   | ■   |
| Underfloor storage rooms full insulated, lined with needled felt, illumination (MB Atego/MAN TGL)   |     |     | ■   | ■   | ■   | ■   |
| Outside flaps in composite construction like VARIO Perfect, coated frame, full insulated, gas props for outside flaps (MB Atego/MAN TGL)  |     |     | ■   | ■   | ■   | ■   |
| Insulated partial double floor system for frost free tank installation  | ■   | ■   | ■   | ■   | ■   | ■   |
| Under body protection all over the vehicle body floor plan  | ■   | ■   | ■   | ■   | ■   | ■   |

| Description  | 650 | 700 | 750 | 800 | 850 | 900 |
|--|-----|-----|-----|-----|-----|-----|
| <b>OUTSIDE DESIGN</b>  |     |     |     |     |     |     |
| High quality painting/complete vehicle, two-component paint  | ■   | ■   | ■   | ■   | ■   | ■   |
| Metallic design paint work (no plastic film)   | ■   | ■   | ■   | ■   | ■   | ■   |
| <b>INTERIOR &amp; COCKPIT</b>  |     |     |     |     |     |     |
| Furniture wood with two sided real wood veneer, oak or beech damped. Several furniture colours possible.   | ■   | ■   | ■   | ■   | ■   | ■   |
| Flaps and doors lined with solid wood profiles. Door edgings with solid wood profiles  | ■   | ■   | ■   | ■   | ■   | ■   |
| Wardrobe with clothes rail, doors with 3-point-lock  | ■   | ■   | ■   | ■   | ■   | ■   |
| Hanging cupboards / living area and bedroom: flaps with push-lock-mechanism  | ■   | ■   | ■   | ■   | ■   | ■   |
| Separation bath & bedroom: insulated sliding doors, sandwich construction with lock and automatic adjustment   | ■   | ■   | ■   | ■   | ■   | ■   |
| Living room angle couch „half round“ with button tack and high quality fabric upholstery   | ■   | ■   | ■   | ■   | ■   | ■   |
| SKA living room comfort seat with integrated head- & arm rests, adjustable in height and inclination, seat surface extendable, pneumatic lumbar support, turnable, high quality fabric upholstery, 3-point-automatic-safety belt, living room seat | ■   | ■   | ■   | ■   | ■   | ■   |
| Bar table version with extendable interface (500 mm) and newspaper tray  | ■   | ■   | ■   | ■   | ■   | ■   |
| Rear bed ventilated with FROLI-bed-system and cold foam mattress, 1300 x 2000/1400 x 2000 mm (quod vide floor plans on page 6/7)   | ■   | ■   | ■   |     |     |     |
| Rear bed ventilated with FROLI-bed-system and cold foam mattress 1500 x 2000 mm  |     |     | ■   | ■   | ■   |     |
| Rear bed ventilated with FROLI-bed-system and cold foam mattress 1600 x 2000 mm  |     |     |     |     |     | ■   |
| Carpet in living room area not fixed/removable. Visible surfaces at ceiling and walls coated with velour, light grey   | ■   | ■   | ■   | ■   | ■   | ■   |
| Energy saving halogen spots countersunk in ceiling and hanging cupboards   | ■   | ■   | ■   | ■   | ■   | ■   |
| Additional storage trays at drivers/co-drivers floor area  | ■   | ■   | ■   | ■   | ■   | ■   |
| <b>KITCHEN</b>   |     |     |     |     |     |     |
| Counter top: several decors with solid wood edging all around. Rubbish bin with cover, integrated in counter top   | ■   | ■   | ■   | ■   | ■   | ■   |
| Drawers and pull outs on roller bearing  | ■   | ■   | ■   | ■   | ■   | ■   |
| High grade steel sink with cover countersunk in counter top. Single hand control tap, chrome   | ■   | ■   | ■   | ■   | ■   | ■   |
| 3-flames high grade steel gas cooker, integrated glass cover, automatic ignition, countersunk in counter top   | ■   | ■   | ■   | ■   | ■   | ■   |
| 100 l refrigerator, automatic energy selection AES (12 V / 230 V / Gas), 10 l icebox   | ■   | ■   | ■   | ■   | ■   |     |
| 142 l refrigerator, automatic energy selection AES (12 V / 230 V / Gas), 25 l icebox   |     |     |     |     |     | ■   |
| Bar tray, solid wood, splash guard function  | ■   | ■   | ■   | ■   | ■   | ■   |
| Hanging cupboards with flaps, shelves and push-lock-mechanism  | ■   | ■   | ■   | ■   | ■   | ■   |
| Outlets 2 x 230 V  | ■   | ■   | ■   | ■   | ■   | ■   |
| <b>BATH</b>  |     |     |     |     |     |     |
| Inside area splash water-repellent, washable lined   | ■   | ■   | ■   | ■   | ■   | ■   |
| CORIAN®/STARON® wash stand top with acrylic basin, countersunk   | ■   | ■   | ■   | ■   | ■   | ■   |
| Single hand control tap, chrome  | ■   | ■   | ■   | ■   | ■   | ■   |
| Wash stand: mirrored cabinet with threepart mirror, shelves. Floor cupboard with door. Outlet 230 V  | ■   | ■   | ■   | ■   | ■   | ■   |
| Lots of bath accessories (soap dispenser, tooth brush tumbler, toilette roll holder, towel hook)   | ■   | ■   | ■   | ■   | ■   | ■   |
| Separate shower with folding/sliding door  | ■   | ■   | ■   | ■   | ■   | ■   |
| Single hand shower tap with water saving sprinkler, chrome   | ■   | ■   | ■   | ■   | ■   | ■   |
| CORIAN®/STARON®  | ■   | ■   | ■   | ■   | ■   | ■   |
| SEALAND porcelain water closet   | ■   | ■   | ■   | ■   | ■   | ■   |

| Description  | 650 | 700 | 750 | 800 | 850 | 900 |
|--|-----|-----|-----|-----|-----|-----|
| <b>HEATING</b>   |     |     |     |     |     |     |
| ALDE 3010 hot water gas central heating with wall convector heater, additional windscreen heating, outside storage room heating, heat capacity Propane 5.500 W / Butane 6.400 W, integrated hot water 8,4 l. Additional electric heating cartridge 230 V / 1.050-2.010 W. Thermostatic steering. | ■   | ■   | ■   | ■   | ■   | ■   |
| Engine heat exchanger for warming up the living area via engine waste heat   | ■   | ■   | ■   | ■   | ■   | ■   |
| <b>WATER SYSTEM</b>  |     |     |     |     |     |     |
| Fresh water tank placed in insulated and heated internal space, quick emptying system, capacity 180 l  | ■   |     |     |     |     |     |
| Fresh water tank, capacity 200 l / 250 l (Iveco Daily)   |     | ■   | ■   | ■   |     |     |
| Fresh water tank, capacity 300 l   |     |     | ■   | ■   |     |     |
| Fresh water tank, capacity 350 l   |     |     |     |     | ■   | ■   |
| Grey water tank placed in insulated double floor system, emptying slide valve placed in heated internal space, capacity 120 l  | ■   | ■   | ■   |     |     |     |
| Grey water tank, capacity 150 l  |     |     | ■   | ■   |     |     |
| Grey water tank, capacity 200 l  |     |     |     | ■   | ■   | ■   |
| Black water tank placed in insulated double floor system, emptying slide valve placed in heated internal space, capacity 120 l   | ■   | ■   | ■   |     |     |     |
| Black water tank, capacity 150 l   |     |     | ■   | ■   |     |     |
| Black water tank, capacity 200 l   |     |     |     |     | ■   | ■   |
| Water system with powerful compression water pump 11 l/min and expansion tank  | ■   | ■   | ■   | ■   | ■   | ■   |
| Quick emptying slide valves at fully water system (winter emptying)  | ■   | ■   | ■   | ■   | ■   | ■   |
| 8,4 l hot water boiler (gas / 230 V) integrated in ALDE central heating system   | ■   | ■   | ■   | ■   | ■   | ■   |
| Central waste management with bayonet- connection 3" for grey water and black water tank. Waste management tube, extendable, placed in separate box  | ■   | ■   | ■   | ■   | ■   | ■   |
| Fresh water tank filling via GARDENA®-port in storage room   | ■   | ■   | ■   | ■   | ■   | ■   |
| <b>ELECTRIC</b>  |     |     |     |     |     |     |
| Solar panel 12 V / 55 W with electronic charger  | ■   | ■   | ■   | ■   | ■   | ■   |
| Service free living room gel battery 12 V / 225 Ah   | ■   | ■   | ■   | ■   | ■   | ■   |
| Battery charger 12 V / 25 A with soft start, micro processed, temperature sensor   | ■   | ■   | ■   | ■   | ■   | ■   |
| 230 V connection in side wall/outside with input cable, FI-automatic protective switch   | ■   | ■   | ■   | ■   | ■   | ■   |
| Automatic charging / living room batteries during travel   | ■   | ■   | ■   | ■   | ■   | ■   |
| Automatic deactivation of the main power system while battery undervoltage   | ■   | ■   | ■   | ■   | ■   | ■   |
| Central battery main control switch integrated in panel for all extraction points  | ■   | ■   | ■   | ■   | ■   | ■   |
| LCD-VARIO-control-panel for monitoring the fresh water-, grey water-, black water tank and battery voltage of vehicle- and living room- battery, integrated heating steering   | ■   | ■   | ■   | ■   | ■   | ■   |
| VARIO-relay splitter with 230 V and 12 V protection, gas-/generator tank display   | ■   | ■   | ■   | ■   | ■   | ■   |
| Power supply lines user- and service friendly placed in a cable duct, electric main centre with WAGO-switchboard technic terminal  | ■   | ■   | ■   | ■   | ■   | ■   |
| Energy saving halogen spots with separate switching mechanism  | ■   | ■   | ■   | ■   | ■   | ■   |
| Several Outlets 230 V  | ■   | ■   | ■   | ■   | ■   | ■   |
| <b>GAS</b>   |     |     |     |     |     |     |
| Gas bottles port for 2 x 11 kg gas bottles, TRUMA-Secumotion   | ■   | ■   | ■   | ■   | ■   | ■   |
| Gas tank 60 l ice ex (80% refillable), safety control with gas remote switch, distance filling   |     |     |     |     |     | ■   |
| <b>MISCELLANEOUS</b>   |     |     |     |     |     |     |
| Individual configuration/sampling of the interior, the terms of colour and outside design  | ■   | ■   | ■   | ■   | ■   | ■   |

# OPTIONAL EQUIPMENT

☐ = option

■ = standard



| Code  | Description  | kg  | 650 | 700 | 750 | 800 | 850 | 900 | Net price<br>EURO | Price / EURO<br>incl. 19 % German tax |
|---|--|-----|-----|-----|-----|-----|-----|-----|-------------------|---------------------------------------|
| <b>Chassis Mercedes Benz Sprinter 518 CDI</b> |  |     |     |     |     |     |     |     |                   |                                       |
| C140  | Air condition drivers place, MB Sprinter   | 15  | ☐   | ☐   | ☐   |     |     |     | 1.725,21          | <b>2.053,00</b>                       |
| C149  | Cruise control, MB Sprinter  | 1   | ☐   | ☐   | ☐   |     |     |     | 344,54            | <b>410,00</b>                         |
| C060  | Diesel tank 100 l, MB Sprinter   | 28  | ☐   | ☐   | ☐   |     |     |     | 268,07            | <b>319,00</b>                         |
| C160  | Dashboard decor burl walnut, MB Sprinter   | 2   | ☐   | ☐   | ☐   |     |     |     | 345,38            | <b>411,00</b>                         |
| C180  | Wheel spacer FA (+ 110 mm), steel rims, tyre equipment FA 235/65 R 16, 4 x MB wheel cover  | 8   | ☐   | ☐   | ☐   |     |     |     | 1.017,65          | <b>1.211,00</b>                       |
| <b>Chassis Mercedes Benz ATEGO 822</b>        |  |     |     |     |     |     |     |     |                   |                                       |
| C100  | Engine variation MB Atego 824-1024, 6 cylinder in line engine, Euro 5 (BLUE TEC), pump-line-injection-system, 3-valve technic, exhaust turbo charger and intercooling, 6.374 ccm, 175 kW / 238 PS, 2.200 rpm, 850 Nm / 1.200-1.600 rpm | 150 |     | ☐   | ☐   | ☐   | ☐   |     | 2.167,23          | <b>2.579,00</b>                       |
| C101  | Air suspension RA with body lifting system, MB Atego 822-1024  | 60  |     | ☐   | ☐   | ☐   | ☐   |     | 3.054,62          | <b>3.635,00</b>                       |
| C113  | Differential lock HA MB Atego  | 10  |     | ☐   | ☐   | ☐   | ☐   |     | 445,38            | <b>530,00</b>                         |
| C142  | Air condition drivers cabin MB Atego   | 20  |     | ☐   | ☐   | ☐   | ☐   |     | 1.698,32          | <b>2.021,00</b>                       |
| C162  | Dashboard decor burl walnut MB Atego   | 2   |     | ☐   | ☐   | ☐   | ☐   |     | 563,87            | <b>671,00</b>                         |
| C182  | Alloy rims SPEEDLINE 6,75 x 17,5, MB ATEGO 922-1024  | -60 |     | ☐   | ☐   | ☐   | ☐   |     | 1.787,40          | <b>2.127,00</b>                       |
| C920  | MB Atego 922 load variation 9,5 t (4,0/6,2) along with serial 822  |     |     | ☐   | ☐   | ☐   | ☐   |     | 2.808,40          | <b>3.342,00</b>                       |
| <b>Chassis MAN TGL</b>                        |  |     |     |     |     |     |     |     |                   |                                       |
| C200  | Engine variation MAN TGL 8.250 / 10.250, 6 cylinder in line engine, Euro 5, PM-catalyser, common rail injection, turbo charger and intercooling, 6.871 ccm, 184 kW / 250 PS / 2.300 rpm, 1.000 Nm / 1.200-1.750 rpm                    | 250 |     | ☐   | ☐   | ☐   | ☐   | ☐   | 3.119,33          | <b>3.712,00</b>                       |
| C201  | Air suspension RA MAN TGL, body lifting system   | 50  |     | ☐   | ☐   | ☐   | ☐   | ☐   | 2.185,71          | <b>2.601,00</b>                       |
| C202  | Air suspension FA MAN TGL, body lifting system   | 50  |     | ☐   | ☐   | ☐   | ☐   | ☐   | 8.684,03          | <b>10.334,00</b>                      |
| C214  | Differential lock RA MAN TGL 8.220   | 10  |     | ☐   | ☐   | ☐   | ☐   | ☐   | 356,30            | <b>424,00</b>                         |
| C244  | Air condition drivers cabin MAN TGL 8.220  | 20  |     | ☐   | ☐   | ☐   | ☐   | ☐   | 1.529,41          | <b>1.820,00</b>                       |
| C264  | Dashboard decor burl walnut MAN TGL  | 2   |     | ☐   | ☐   | ☐   | ☐   | ☐   | 559,66            | <b>666,00</b>                         |
| C281  | Alloy rims 6,75 x 17,5 6-fold MAN TGL  | -60 |     | ☐   | ☐   | ☐   | ☐   | ☐   | 2.070,59          | <b>2.464,00</b>                       |
| C880  | Load variation TGL 10.220 along with serial 8.220  |     |     | ☐   | ☐   | ☐   | ☐   | ☐   | 3.768,91          | <b>4.485,00</b>                       |
| <b>Chassis IVECO Daily</b>                    |  |     |     |     |     |     |     |     |                   |                                       |
| C319  | Differential lock RA IVECO Daily   | 15  |     |     | ☐   | ☐   |     |     | 676,47            | <b>805,00</b>                         |
| C343  | Air condition drivers cabin, IVECO Daily automatic climate control, AC particle filter, outside thermometer, alternator 14 V / 140 A   | 18  |     |     | ☐   | ☐   |     |     | 1.370,59          | <b>1.631,00</b>                       |
| C369  | Dashboard decor burl walnut, IVECO Daily   | 1   |     |     | ☐   | ☐   |     |     | 461,35            | <b>549,00</b>                         |
| <b>CHASSIS</b>                                |  |     |     |     |     |     |     |     |                   |                                       |
| C001  | Tyre pressure monitoring system (6 wheels)   | 6   | ☐   | ☐   | ☐   | ☐   | ☐   | ☐   | 1.436,98          | <b>1.710,00</b>                       |
| C300  | Leather- / wood steering wheel (no multi function steering wheel possible)   |     | ☐   | ☐   | ☐   | ☐   | ☐   | ☐   | 1.402,52          | <b>1.669,00</b>                       |
| C310  | Double air pressure horn with magnetic valve   | 4   |     |     | ☐   | ☐   | ☐   | ☐   | 273,95            | <b>326,00</b>                         |
| C996  | Compressed air connection in underfloor storage room   | 2   |     |     | ☐   | ☐   | ☐   | ☐   | 236,98            | <b>282,00</b>                         |
| D008  | Apron mirror co-drivers side   | 2   | ☐   | ☐   | ☐   | ☐   | ☐   | ☐   | 118,49            | <b>141,00</b>                         |
| D014  | Splash guard front/rear  | 8   | ☐   | ☐   | ☐   | ☐   | ☐   | ☐   | 468,91            | <b>558,00</b>                         |
| D018  | XENON main light (low beam light), MB / MAN  | 6   | ☐   | ☐   | ☐   | ☐   | ☐   | ☐   | 1.547,06          | <b>1.841,00</b>                       |
| E501  | Twin video rear vision colour monitoring system, dust protection lid, 7" LCD colour screen, IR-LED / low distance camera   | 7   | ☐   | ☐   | ☐   | ☐   | ☐   | ☐   | 1.702,52          | <b>2.026,00</b>                       |

# OPTIONAL EQUIPMENT

☐ = option

■ = standard

**VARIO**  
star

| Code | Description   | kg  | 650 | 700 | 750 | 800 | 850 | 900 | Net price<br>EURO | Price / EURO<br>incl. 19 % German tax |
|------|---|-----|-----|-----|-----|-----|-----|-----|-------------------|---------------------------------------|
| E504 | Reverse drive warning system  |     | ☐   | ☐   | ☐   | ☐   | ☐   | ☐   | 119,33            | <b>142,00</b>                         |
| R001 | Hitch 2.500 kg, outlet 12 V, MB Sprinter. Please notice the GVWR for the set (7.000 kg) | 15  | ☐   | ☐   | ☐   |     |     |     | 1.319,33          | <b>1.570,00</b>                       |
| R002 | Hitch 3.500 kg while GVWR 7.490 kg (only 3.000 kg if GVWR < 10.000 kg), outlet 12 V     | 20  |     |     | ☐   | ☐   | ☐   | ☐   | 1.735,29          | <b>2.065,00</b>                       |
| R101 | 2 mechanical rear jacks (only to adjust)  | 18  | ☐   | ☐   | ☐   | ☐   | ☐   | ☐   | 633,61            | <b>754,00</b>                         |
| R103 | 4 x hydraulic jacks for GVWR 6.000-11.990 kg, double effective cylinder, autolevel      | 160 |     |     | ☐   | ☐   | ☐   | ☐   | 8.544,54          | <b>10.168,00</b>                      |
| R105 | Additional manual operating system (together with R103) for hydraulic jacks             | 10  |     |     | ☐   | ☐   | ☐   | ☐   | 871,43            | <b>1.037,00</b>                       |

## BODY

|      |   |     |   |   |   |   |   |   |          |                 |
|------|---|-----|---|---|---|---|---|---|----------|-----------------|
| A024 | Drivers door, VARIO Star  | 25  | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | 3.521,85 | <b>4.191,00</b> |
| A007 | Telescope ladder aluminium, solitary added  | 10  | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | 385,71   | <b>459,00</b>   |
| A008 | Oval tube roof railing, aluminium painted   | 16  | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | 1.032,77 | <b>1.229,00</b> |
| A010 | Installation telescope ladder in storage room   | 1   | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | 57,98    | <b>69,00</b>    |
| E400 | 4 x halogen tail light, white, countersunk in side wall, controlled via reverse gear                      | 10  | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | 1.800,00 | <b>2.142,00</b> |
| E401 | LED-back lights jack up mounted, additional flashing and stop lights                                      | 4   | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | 357,98   | <b>426,00</b>   |
| E403 | Search light on roof, electric adjustable   | 3   | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | 502,52   | <b>598,00</b>   |
| E408 | LED outside light with motion detector and steady burning light circuitry, switch of system during travel | 1   | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | 250,42   | <b>298,00</b>   |
| M002 | Awning OMNISTOR 4 x 2,5 m, painted in vehicle colour, manual use  | 38  |   | ☐ | ☐ | ☐ |   |   | 1.382,35 | <b>1.645,00</b> |
| M003 | Awning OMNISTOR 5 x 2,75 m, automatic, painted in vehicle colour, electric drive, 230 V, remotion control | 52  |   |   | ☐ | ☐ | ☐ | ☐ | 2.420,17 | <b>2.880,00</b> |
| M004 | Awning OMNISTOR 6 x 2,75 m, automatic, painted in vehicle colour, electric drive, 230 V, remotion control | 56  |   |   |   |   | ☐ | ☐ | 2.739,50 | <b>3.260,00</b> |
| S102 | Tempered glass sliding windows instead of plastic windows   | 100 |   |   | ☐ | ☐ | ☐ | ☐ | 3.763,87 | <b>4.479,00</b> |
| S302 | Roof hatch OMNIVENT, 12 V vent, forced ventilation, darkening blind                                       | 7   |   |   | ☐ | ☐ | ☐ | ☐ | 486,56   | <b>579,00</b>   |
| S304 | SEITZ winding lift sun roof Heki 1, approx. 960 x 655 mm, combi blind, forced ventilation                 | 15  | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | 1.212,05 | <b>1.443,00</b> |
| S403 | Outside flap with under floor storage room  | 15  | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | 1.568,07 | <b>1.866,00</b> |
| S500 | Additional outside flap with gas props for rear end storage room at drivers side                          | 30  | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | 2.733,61 | <b>3.253,00</b> |
| S603 | Mosquito door and additional safety lock for VARIO entrance door  | 12  | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | 1.315,97 | <b>1.566,00</b> |

## INTERIOR

|      |   |    |   |   |   |   |   |   |          |                 |
|------|---|----|---|---|---|---|---|---|----------|-----------------|
| F003 | Fold away bed (2.000 x 1.200 mm) at drivers cabin, instead of hanging cupboards above drivers-/co-drivers seats   | 60 | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | 2.710,08 | <b>3.225,00</b> |
| F008 | Furniture safe deposit, electronic combination lock   | 8  | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | 264,71   | <b>315,00</b>   |
| F017 | Pull out cabinet with 5 baskets, individual adjustable  | 20 | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | 1.438,66 | <b>1.712,00</b> |
| F018 | Ceiling lamps, 6 x halogen spots countersunk in ceiling, dimmer   | 2  | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | 844,54   | <b>1.005,00</b> |
| F020 | Adjustable rear board for rear bed / single bed   | 6  | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | 100,00   | <b>119,00</b>   |
| F040 | Extension in seating bench  | 8  | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | 268,07   | <b>319,00</b>   |
| F050 | Glass show case, illuminated, mirrored rear panel, drinking glasses display, top cabinet on existent cabinet  | 13 | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | 1.593,28 | <b>1.896,00</b> |
| F052 | Drinking glasses set „VARIO“ for glass show case  | 1  | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | 126,89   | <b>151,00</b>   |
| F133 | Furniture design „bentART“, convex rounded flaps, real wood veneer, cubical furniture edges 30 mm   | 35 | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | 4.124,37 | <b>4.908,00</b> |
| F134 | Interior: Canadian maple, real wood veneer colour: natural, light   | 15 | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | 2.916,81 | <b>3.471,00</b> |
| F135 | Interior: Canadian maple, real wood veneer colour: middle-tone / honey  | 15 | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | 2.916,81 | <b>3.471,00</b> |
| F136 | Interior: American cherry, real wood veneer   |    | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | 5.631,09 | <b>6.701,00</b> |
| F137 | Interior: American walnut, real wood veneer   |    | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | 7.882,35 | <b>9.380,00</b> |
| F141 | Furniture design „landART“ beech damped real wood veneer, doors and flaps: solid wood with facets all around, vertical furniture edges lined with solid wood profiles | 40 | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | 3.250,42 | <b>3.868,00</b> |

# OPTIONAL EQUIPMENT

□ = option

■ = standard

**VARIO**  
star

| Code               | Description  | kg  | 650 | 700 | 750 | 800 | 850 | 900 | Net price<br>EURO | Price / EURO<br>incl. 19 % German tax |
|--------------------|--|-----|-----|-----|-----|-----|-----|-----|-------------------|---------------------------------------|
| F144               | Furniture design „landART“ Canadian maple real wood veneer, doors and flaps: solid wood with facets all around, vertical furniture edges lined with solid wood profiles (colour: natural light)  | 50  | □   | □   | □   | □   | □   | □   | 6.405,04          | <b>7.622,00</b>                       |
| F145               | Furniture design „landART“ Canadian maple real wood veneer, doors and flaps: solid wood with facets all around, vertical furniture edges lined with solid wood profiles (colour: middle tone / honey)  | 50  | □   | □   | □   | □   | □   | □   | 6.405,04          | <b>7.622,00</b>                       |
| F146               | Furniture design „landART“ American cherry real wood veneer, doors and flaps: solid wood with facets all around, vertical furniture edges lined with solid wood profiles (colour: natural light)   | 35  | □   | □   | □   | □   | □   | □   | 11.666,39         | <b>13.883,00</b>                      |
| F221               | 2 x single beds in rear end area, bed width 850 mm, nightstand   | 30  |     | □   | □   | □   | □   | □   | 2.130,25          | <b>2.535,00</b>                       |
| N006               | Leather upholstery living area   | 20  | □   | □   | □   | □   | □   | □   | 3.329,41          | <b>3.962,00</b>                       |
| N012               | ALCANTARA®upholstery   | 10  | □   | □   | □   | □   | □   | □   | 2.886,55          | <b>3.435,00</b>                       |
| <b>KITCHEN</b>     |  |     |     |     |     |     |     |     |                   |                                       |
| F004               | Kitchen counter top CORIAN® / STARON®  | 25  | □   | □   | □   | □   | □   | □   | 2.078,99          | <b>2.474,00</b>                       |
| F042               | Granite flooring, diagonal laying  | 100 | □   | □   | □   | □   | □   | □   | 3.070,59          | <b>3.654,00</b>                       |
| K001               | 142 l refrigerator with AES, 25 l ice box  | 20  |     |     | □   | □   | □   | ■   | 1.068,91          | <b>1.272,00</b>                       |
| K003               | 189 l refrigerator with AES, 33 l ice box removable  | 30  |     |     | □   | □   | □   | □   | 1.286,55          | <b>1.531,00</b>                       |
| K005               | 189 l refrigerator with AES, 33 l ice box, instead of 142 l serial refrigerator  | 10  |     |     |     |     |     | □   | 240,34            | <b>286,00</b>                         |
| K006               | TEC-TOWER with 175 l refrigerator, 31 l ice box, mirrored front (gas oven upside refrigerator). Additional charge to 189 l unit  | 10  |     |     | □   | □   | □   | □   | 559,66            | <b>666,00</b>                         |
| P002               | Gas oven with grill, thermostat  | 15  | □   | □   | □   | □   | □   | □   | 900,84            | <b>1.072,00</b>                       |
| P004               | Microwave with integrated grill  | 17  | □   | □   | □   | □   | □   | □   | 839,50            | <b>999,00</b>                         |
| P005               | Microwave / hot air oven with grill  | 30  | □   | □   | □   | □   | □   | □   | 1.393,28          | <b>1.658,00</b>                       |
| P012               | Double bowl sink in kitchen  | 4   | □   | □   | □   | □   | □   | □   | 142,02            | <b>169,00</b>                         |
| <b>BATH</b>        |  |     |     |     |     |     |     |     |                   |                                       |
| J003               | CORIAN® / STARON® rear panel in shower, console for mixing tap CORIAN® / STARON®   | 20  | □   | □   | □   | □   | □   | □   | 1.686,55          | <b>2.007,00</b>                       |
| J005               | CORIAN® / STARON® flooring for bath version „extra roomy“  | 40  | □   | □   | □   | □   | □   | □   | 2.393,28          | <b>2.848,00</b>                       |
| J012               | Clothes rail in shower   | 1   | □   | □   | □   | □   | □   | □   | 54,62             | <b>65,00</b>                          |
| J032               | Thermostatic mixing shower tap: chrome   | 1   | □   | □   | □   | □   | □   | □   | 163,87            | <b>195,00</b>                         |
| J040               | Real glass quarter circle shower, white, together with bath version „extra roomy“  | 15  |     |     |     | □   | □   | □   | 1.604,20          | <b>1.909,00</b>                       |
| <b>MULTI MEDIA</b> |  |     |     |     |     |     |     |     |                   |                                       |
| E002               | LCD flat screen TV SHARP, 26“, stereo, remote control  | 25  | □   | □   | □   | □   | □   | □   | 2.050,42          | <b>2.440,00</b>                       |
| E003               | LCD flat screen TV SHARP, 19“, stereo, remote control  | 15  | □   | □   | □   | □   | □   | □   | 1.550,42          | <b>1.845,00</b>                       |
| E004               | Satellite system CRYSTOP Autosat 2, DBV (digital), 85 cm parabolic reflector, autolevel, receiver  | 30  | □   | □   | □   | □   | □   | □   | 2.784,87          | <b>3.314,00</b>                       |
| E005               | 2 <sup>nd</sup> digital-receiver with remote control, antenna port   | 3   | □   | □   | □   | □   | □   | □   | 464,70            | <b>553,00</b>                         |
| E006               | Satellite system KATHREIN CAP 900, 85 cm parabolic reflector, autolevel with GPS support, Twin LNB, digital receiver   | 30  | □   | □   | □   | □   | □   | □   | 3.049,57          | <b>3.629,00</b>                       |
| E101               | Multimedia system Pioneer AVIC F 900 BT, 5,8“ touch screen monitor; GPS navigation for 32 European countries with real time traffic information, double DIN, radio with UKW / MW tuner, 4 x 50 W, DVD / CD / MP3 slot, USB rear port, 4 speakers, combi antenna, Bluetooth hands free speaking set (Mercedes Sprinter) | 10  | □   | □   | □   |     |     |     | 2.529,41          | <b>3.010,00</b>                       |
| E102               | GPS navigation KENWOOD KNA 180 TA, 6,8“ touch screen monitor for 2D/3D map presentation, dynamic route guidance with TMC, European maps via permanent memory   | 5   | □   | □   | □   | □   | □   | □   | 1.638,66          | <b>1.950,00</b>                       |

# OPTIONAL EQUIPMENT

☐ = option

■ = standard



| Code   | Description  | kg  | 650 | 700 | 750 | 800 | 850 | 900 | Net price<br>EURO | Price / EURO<br>incl. 19 % German tax |
|--|--|-----|-----|-----|-----|-----|-----|-----|-------------------|---------------------------------------|
| E104   | Audio- / video connection radio system with LCD flat screen  | 1   | ☐   | ☐   | ☐   | ☐   | ☐   | ☐   | 244,54            | <b>291,00</b>                         |
| E115   | Radio navigation BECKER Cascade, UKW, MW, LW, KW, 2 UKW tuner, RDS, dynamic recommended route via TMC module, 4 x 30 W, MP3 / CD-Player, CF card Europe, 4 speakers, roof antenna, bluetooth hands free speaking set                                       | 6   | ☐   | ☐   | ☐   | ☐   | ☐   | ☐   | 2.263,87          | <b>2.694,00</b>                       |
| E116   | Radio BECKER Grand Prix, UKW, MW, LW, KW, 2 UKW tuner, RDS, 4 x 30 W, MP3 / CD / WMA player, 4 speaker, roof antenna, bluetooth hands free speaking set  | 6   | ☐   | ☐   | ☐   | ☐   | ☐   | ☐   | 1.255,46          | <b>1.494,00</b>                       |
| E117   | Sound system with active sub-woofer (4 speakers + sub-woofer)  | 10  | ☐   | ☐   | ☐   | ☐   | ☐   | ☐   | 578,15            | <b>688,00</b>                         |
| E118   | Radio console MB Atego, 1 x DIN slot   | 1   |     |     | ☐   | ☐   | ☐   |     | 201,68            | <b>240,00</b>                         |
| E120   | Radio console MAN TGL / TGM, 2 x DIN slot  | 6   |     |     | ☐   | ☐   | ☐   | ☐   | 205,04            | <b>244,00</b>                         |
| E700   | Preparation for car phone - included roof antenna, D-net mobile phone hands free speaking set  | 2   | ☐   | ☐   | ☐   | ☐   | ☐   | ☐   | 548,74            | <b>653,00</b>                         |
| <b>INTERNET</b>                              |  |     |     |     |     |     |     |     |                   |                                       |
| E999   | Mobile internet satellite earth station CRYSTOP Autosat 2S 85 with transmitter / receiving- LNB, modem, LAN port (Provider IP Copter)  | 30  | ☐   | ☐   | ☐   | ☐   | ☐   | ☐   | 3.680,67          | <b>4.380,00</b>                       |
| <b>ELECTRIC</b>                              |  |     |     |     |     |     |     |     |                   |                                       |
| E200   | Service free AGM batteries 450 Ah together with clocked charger 12 V / 45 A, microprocessed with soft start and battery temperature sensor   | 80  | ☐   | ☐   | ☐   | ☐   | ☐   | ☐   | 1.420,17          | <b>1.690,00</b>                       |
| E242   | Charger 24 V / 15 A for start batteries with temperature sensor  | 5   | ☐   | ☐   | ☐   | ☐   | ☐   | ☐   | 600,84            | <b>715,00</b>                         |
| E232   | Solar panel 125 W, charge controller   | 15  | ☐   | ☐   | ☐   | ☐   | ☐   | ☐   | 1.148,74          | <b>1.367,00</b>                       |
| E233   | Solar panel 250 W, charge controller   | 35  | ☐   | ☐   | ☐   | ☐   | ☐   | ☐   | 2.448,74          | <b>2.914,00</b>                       |
| E240   | Battery monitoring system / ampere hours counter for living room batteries   | 2   | ☐   | ☐   | ☐   | ☐   | ☐   | ☐   | 666,39            | <b>793,00</b>                         |
| E250   | Sinus inverter 12 -> 230 V / 1.500 W, automatic change over system   | 13  | ☐   | ☐   | ☐   | ☐   | ☐   | ☐   | 2.254,62          | <b>2.683,00</b>                       |
| E251   | Sinus inverter 12 -> 230 V / 2.000 W, automatic change over system   | 15  | ☐   | ☐   | ☐   | ☐   | ☐   | ☐   | 2.666,39          | <b>3.173,00</b>                       |
| E252   | MASTERVOLT charger / sinus inverter combination, loading capacity 12 V / 100 A, outside power connection: charge power adjustable 4 – 16 A , sinus inverter with 12 – 230 V / 2.500 VA, automatic change over system, additional AGM battery 12 V / 225 Ah | 110 | ☐   | ☐   | ☐   | ☐   | ☐   | ☐   | 3.949,58          | <b>4.700,00</b>                       |
| E600   | Outlet 230 V additional  | 1   | ☐   | ☐   | ☐   | ☐   | ☐   | ☐   | 103,36            | <b>123,00</b>                         |
| E601   | Outlet 12 V additional   | 1   | ☐   | ☐   | ☐   | ☐   | ☐   | ☐   | 103,36            | <b>123,00</b>                         |
| <b>GENERATOR</b>                             |  |     |     |     |     |     |     |     |                   |                                       |
| G001   | Outside flap for generator   | 15  | ☐   | ☐   | ☐   | ☐   | ☐   | ☐   | 910,08            | <b>1.083,00</b>                       |
| G003   | Benzine generator DOMETIC TEC 29, 2,6 kW, 230 V, 1 cylinder, noise absorber box, operating panel, 30 l tank, fuel gauge  | 85  | ☐   | ☐   | ☐   | ☐   | ☐   | ☐   | 5.884,87          | <b>7.003,00</b>                       |
| G004   | Diesel generator DOMETIC TEC 30, 2,5 kW, 230 V, 1 cylinder Hatz diesel engine, air cooled, noise absorber box, operating panel   | 90  | ☐   | ☐   | ☐   | ☐   | ☐   | ☐   | 7.445,38          | <b>8.860,00</b>                       |
| G004   | Diesel generator DOMETIC TEC 30, 3,5 kW, 230 V, 1 cylinder Hatz diesel engine, air cooled, noise absorber box, operating panel   | 120 | ☐   | ☐   | ☐   | ☐   | ☐   | ☐   | 9.068,91          | <b>10.792,00</b>                      |
| <b>AIR CONDITION</b>                         |  |     |     |     |     |     |     |     |                   |                                       |
| E300   | Roof air condition DOMETIC Blizzard 2200, 230 V, cooling capacity 2.050 W (generator power > 2,5 kW)   | 32  | ☐   | ☐   | ☐   | ☐   | ☐   | ☐   | 2.195,80          | <b>2.613,00</b>                       |
| E301   | Roof air condition WAECO CA 2500, 230 V, cooling capacity 2500 W with easy start electronic, additional fresh air operating, IR remote control (generator capacity > 3,4 kW)   | 45  | ☐   | ☐   | ☐   | ☐   | ☐   | ☐   | 2.240,34          | <b>2.666,00</b>                       |
| <b>SCOOTER GARAGE / PASSENGER CAR GARAGE</b> |  |     |     |     |     |     |     |     |                   |                                       |
| R202   | 2 x lashing rails at front and rear panel in garage  | 10  | ☐   | ☐   | ☐   | ☐   | ☐   | ☐   | 270,58            | <b>322,00</b>                         |
| R203   | Safety preparation for 2 bicycles in rear garage with transport racks (floor)  | 10  | ☐   | ☐   | ☐   | ☐   | ☐   | ☐   | 441,18            | <b>525,00</b>                         |
| R204   | Installation scooter incl. rack and ramp   | 20  | ☐   | ☐   | ☐   | ☐   | ☐   | ☐   | 1.121,01          | <b>1.334,00</b>                       |

# OPTIONAL EQUIPMENT

☐ = option

■ = standard

**VARIO**  
star

| Code                          | Description   | kg  | 650 | 700 | 750 | 800 | 850 | 900 | Net price<br>EURO | Price / EURO<br>incl. 19 % German tax |
|-------------------------------|---|-----|-----|-----|-----|-----|-----|-----|-------------------|---------------------------------------|
| X101                          | Additional charge micro car garage, partial moveable rear panel and rear bumper, gas props, 2-point-lock, strengthened frame construction/rear vehicle, rear bent frame | 150 |     |     |     |     | ☐   | ☐   | 9.306,72          | <b>11.075,00</b>                      |
| X107                          | SMART-transport rails for car garage with removable rails and electrical winch (SMART standard tyres)   | 80  |     |     |     |     | ☐   | ☐   | 4.522,69          | <b>5.382,00</b>                       |
| <b>GAS</b>                    |   |     |     |     |     |     |     |     |                   |                                       |
| B001                          | Gas tank 60 l ice ex, (80% refillable), safety control with gas remote switch, distance filling   | 60  | ☐   | ☐   | ☐   | ☐   | ☐   | ■   | 1.323,53          | <b>1.575,00</b>                       |
| B002                          | Gas tank 85 l ice ex, (80% refillable), safety control with gas remote switch, distance filling   | 70  |     |     | ☐   | ☐   | ☐   | ☐   | 1.414,29          | <b>1.683,00</b>                       |
| B003                          | Gas tank 116 l ice ex, (80% refillable), safety control with gas remote switch, distance filling  | 100 |     |     | ☐   | ☐   | ☐   | ☐   | 1.494,12          | <b>1.778,00</b>                       |
| B005                          | Gas extraction valve under storage room   | 2   | ☐   | ☐   | ☐   | ☐   | ☐   | ☐   | 211,76            | <b>252,00</b>                         |
| B006                          | Gas remote switch for gas bottle system   | 1   | ☐   | ☐   | ☐   | ☐   | ☐   | ☐   | 181,51            | <b>216,00</b>                         |
| B010                          | Gas bottles extension system for 2 x 11 kg gas bottles  | 10  | ☐   | ☐   | ☐   | ☐   | ☐   | ☐   | 303,36            | <b>361,00</b>                         |
| B014                          | GIM gas bottle filling level display for two gas bottles (steel)  | 2   | ☐   | ☐   | ☐   | ☐   | ☐   | ☐   | 301,68            | <b>359,00</b>                         |
| Z007                          | 2 x bottles grey per 11 kg, filled  | 48  | ☐   | ☐   | ☐   | ☐   | ☐   | ☐   | 163,87            | <b>195,00</b>                         |
| <b>HEATING</b>                |   |     |     |     |     |     |     |     |                   |                                       |
| H003                          | Towel dryer, bath, white  | 10  | ☐   | ☐   | ☐   | ☐   | ☐   | ☐   | 407,56            | <b>485,00</b>                         |
| H004                          | Floor heating system in bath area   | 6   | ☐   | ☐   | ☐   | ☐   | ☐   | ☐   | 885,71            | <b>1.054,00</b>                       |
| H005                          | Floor heating system in living area and below bar table, thermostatic steering  | 25  | ☐   | ☐   | ☐   | ☐   | ☐   | ☐   | 1.599,16          | <b>1.903,00</b>                       |
| H006                          | Bed room heating with separate room thermostat, by-pass line  | 6   | ☐   | ☐   | ☐   | ☐   | ☐   | ☐   | 302,52            | <b>360,00</b>                         |
| H008                          | Hot water diesel heating system WEBASTO Thermo Top additional in ALDE heating circuit, heating capacity 5.000 W, thermostatic steering                                  | 10  |     |     | ☐   | ☐   | ☐   | ☐   | 2.801,68          | <b>3.334,00</b>                       |
| <b>WATER SYSTEM</b>           |   |     |     |     |     |     |     |     |                   |                                       |
| W002                          | Outside shower, tap (cold/warm) in outside storage room   | 5   | ☐   | ☐   | ☐   | ☐   | ☐   | ☐   | 403,36            | <b>480,00</b>                         |
| W104                          | City water port with pressure reduction   | 2   | ☐   | ☐   | ☐   | ☐   | ☐   | ☐   | 509,24            | <b>606,00</b>                         |
| W201                          | Drinking water preparation plant  | 4   | ☐   | ☐   | ☐   | ☐   | ☐   | ☐   | 304,20            | <b>362,00</b>                         |
| W202                          | SEAGULL drinking water preparation plant  | 6   | ☐   | ☐   | ☐   | ☐   | ☐   | ☐   | 999,16            | <b>1.189,00</b>                       |
| W400                          | Wash up system for black water tank (connection between grey and black water tank with slider)  | 3   |     |     | ☐   | ☐   | ☐   | ☐   | 260,50            | <b>310,00</b>                         |
| W401                          | Additional waste water tube 3" / 3 m with bayonet connector, box  | 6   | ☐   | ☐   | ☐   | ☐   | ☐   | ☐   | 151,26            | <b>180,00</b>                         |
| <b>PAINTING OUTSIDE WALLS</b> |   |     |     |     |     |     |     |     |                   |                                       |
| L101                          | Painting metallic, VARIO Star   | 40  | ☐   | ☐   | ☐   | ☐   | ☐   | ☐   | 4.457,14          | <b>5.304,00</b>                       |
| <b>MISCELLANEOUS</b>          |   |     |     |     |     |     |     |     |                   |                                       |
| Y001                          | TÜV certification - German technical inspection, issue of EG expertise  |     | ☐   | ☐   | ☐   | ☐   | ☐   | ☐   | 438,65            | <b>522,00</b>                         |
| Z001                          | Ultra sound alarm system with door-/storage contacts, internal observation living room deactivatable, remote control  | 4   | ☐   | ☐   | ☐   | ☐   | ☐   | ☐   | 1.260,50          | <b>1.500,00</b>                       |
| Z003                          | Service package, 2 x 20 m GARDENA folded tube, Euro gas tank adapter, Euro gas bottles adapter  | 6   | ☐   | ☐   | ☐   | ☐   | ☐   | ☐   | 266,39            | <b>317,00</b>                         |
| Z004                          | „k.o.“ - gas-warning system / bedroom   | 1   | ☐   | ☐   | ☐   | ☐   | ☐   | ☐   | 262,18            | <b>312,00</b>                         |

Welcome to first class...



Fahrzeugbau GmbH

Bremer Straße/ Industriegebiet  
D - 49163 Bohmte, Germany  
Phone ++49 (0) 5471 - 95 11 - 0  
Fax ++49 (0) 5471 - 95 11 - 59  
M@il info@vario-mobil.com  
Welcome! www.vario-mobil.com  
www.variomobil.de

**Please notice!** VARIOmobil does not represent or warrant that its motorhomes can lawfully be operated on all roads or in all states. Laws restricting the length, width, and/or weight of vehicles vary from state to state. It is the responsibility of each prospective purchaser of a motorhome to determine any limitations or restriction on the use of the motorhome in the states in which the purchaser intends to use it. Due to constant product improvements, styling, design, equipment and construction are subject to change without notice or obligation. We reserve the right to make changes, but are happy to verify any item on request. Some items featured may be optional.

Bohmte - Summer 2009.  
Modifications and mistakes possible.